QL
677
B73
pt.2:1

UC-NRLF
B 3 902 603



BIOLOGY
LIBRARY
G

LIST

OF THE

SPECIMENS OF BIRDS

IN THE

BRITISH MUSEUM.

PART II.

LONDON:
SPOTTISWOODE and SHAW,
New-street-Square.

Arches 35104

LIST OF THE SPECIMENS OF BIRDS

24477
873

IN

THE COLLECTION

OF THE

BRITISH MUSEUM.

8/19

PART II. SECTION I.

FISSIROSTRES.

PRINTED BY ORDER OF THE TRUSTEES.

LONDON: 1848.

QL677
B73
pt.2:1
BIOLOGY
LIBRARY
G

LIST OF BIRDS.

Class AVES.

Order II. PASSERES.

Passeres (pars) *Linn. Syst. Nat.* (1760) p. 85.; *Cuv. Tabl. Elém. de l'Hist. Nat. des Anim.* p. 199. (1797—1798).
Picæ (pars) *Linn. Syst. Nat.* (1735).
Ambulatores *Ill. Prod. Syst. Mam. et Av.* p. 207. (1811).
Chelidons, Alcyones, Anisodactyli, Insectivores, Omnivores, and Granivores, *Temm. Anal. du Syst. Gén. d'Ornith.* p. xlix. and lxxxix. (1820).
Insessores *Vigors*, *Linn. Trans.* xiv. p. 406. (1825).

Tribe I. *Fissirostres.*

Subtribe I. *Fissirostres Nocturnæ.*

Fam. I. CAPRIMULGIDÆ.

i. *Podarginæ.*

1. STEATORNIS.

Steatornis *Humb. Obs. de Zool.* ii. p. 141. (1833).

1. Steatornis caripensis. The Trinidad Goatsucker.

Caprimulgus steatornis *Humb. Journ. Phys.* (1800) p. .
Steatornis caripensis *Humb. Obs. de Zool.* ii. p. 141. t. 44.; *Ann. du Mus.* (1834) p. 319. t. 15.
Nyctibius ? steatornis *Steph. Gen. Zool.* xiii. p. 91.

613920

a. Sta Fe de Bogota. From Mr. Leadbeater's Collection.
b. Trinidad.
c. Trinidad. Presented by Mrs. Wright.

2. PODARGUS.

Podargus *Cuv. Règ. Anim.* (1829) i. p. 398.

1. Podargus humeralis. The tawny-shouldered Podargus.

Podargus humeralis *Vig. & Horsf. Linn. Trans.* xv. p. 198.
Podargus australis *Steph. Gen. Zool.* xiii. p. 92. ?
Caprimulgus gracilis *Lath. Ind. Orn. Suppl.* p. lviii. ? ; *Lamb. Icon. ined.* i. 69.
Podargus ? gracilis *Steph. Gen. Zool.* xiii. p. 93. ?
Podargus cinereus *Cuv. Règ. Anim.* (1829) t. 4. f. 1. ?
Caprimulgus strigoides *Lath. Ind. Orn. Suppl.* p. lviii. ? ; *Lamb. Icon. ined.* i. 67.
Podargus strigoïdes *G. R. Gray, Ann. of Nat. Hist.* (1843) p. 194. ?
Jard. and Selby, Ill. of Orn. pl. 88. (?) ; *Gould, B. of Austr.* ii. pl. 3.

a. Australia. From Mr. Gould's Collection.
b. South Australia. Presented by His Excell. Capt. Sir G. Grey.
c. Australia. Presented by M.-Gen. T. Hardwicke.
d. Australia. Presented by R. Butler, Esq.
e. Skull. S. Australia. From Mr. Warwick's Collection.

2. Podargus Cuvieri. Cuvier's Podargus.

Podargus Cuvieri *Vig. & Horsf. Linn. Trans.* xx. p. 200.
Gould, B. of Austr. ii. pl. 4.

a. Van Diemen's Land. From Mr. Gunn's Collection.
b. Australia ? Presented by M.-Gen. T. Hardwicke.
c. Van Diemen's Land, male (Antarctic Expedition). Presented by the Admiralty.
d. Van Diemen's Land, female (Antarctic Expedition). Presented by the Admiralty.
e. Van Diemen's Land, female (Antarctic Expedition). Presented by the Admiralty.
f. Australia. From Mr. Gould's Collection.

3. Podargus phalænoïdes. The Moth-plumaged Podargus.

Podargus phalænoides *Gould, Proc. Zool. Soc.* (1839) p. 142.
Gould, B. of Austr. ii. pl. 5.

a. North-western Australia. Presented by His Excell. Capt. Sir G. Grey.
b, *c.* Port Essington, Australia. Presented by Capt. W. Chambers, R. N.
d, *e.* Port Essington, young.
f. Cape Upstart, Australia, adult.
g. Skeleton, Australia. From Mr. Warwick's Collection.

3. BATRACHOSTOMUS.

Batrachostomus *Gould*, *Icones Avium*, (1838).
Bombycistomas *Hay*, *Journ. A. S. B.* (1841) p. 574., and (1842) p. 798.

1. Batrachostomus javanensis. Horsfield's Goatsucker.

Podargus javanensis *Horsf. Linn. Trans.* xiii. p. 141.
Podargus cornutus *Temm. Pl. Col.* 159.
Batrachostomus javanensis *Gould.*
Horsf. Zool. Res. pl. . ; *Steph. Gen. Zool.* xiii. p. 92. pl. 41.

a. Indian Archipelago. From the Leyden Museum.

2. Batrachostomus stellatus. The starry Batrachostomus.

Podargus stellatus *Gould*, *Proc. Zool. Soc.* (1837) p. 43.

a. Indian Archipelago. From Mr. Warwick's Collection.

3. Batrachostomus auritus. The great-eared Goatsucker.

Podargus auritus *Vigors*, *Mem. Raffl. App.* p. 652.
Bombycistomas Fullertonii *Hay*, *Journ. A. S. B.* (1841) p. 573.
Podargus Fullertoni (?) *Blyth*, *Journ. A. S. B.* (1842) p. 798.
Batrachostomus auritus *Gould*, *Icon. Av.* pl. .
Griff. An. Kingd., *Birds*, ii. pl. p. 114.

a, *b.* Indian Archipelago. From Mr. Cuming's Collection.
c. Malacca. Presented by the Earl of Ellenborough.

4. ÆGOTHELES.

Ægotheles *Vig. & Horsf. Linn. Trans.* xv. p. 194. (1826).

1. Ægotheles novæ hollandiæ. The New Holland Goatsucker.

Ægotheles novæ hollandiæ *Vig. & Horsf. Linn. Trans.* t. xv. p. 197.; *Mag. de Zool.* (1837) *Ois.* t. 82.

Caprimulgus novæ hollandiæ *Lath. Ind. Orn.* p. 588.
Caprimulgus vittatus *Lath. Ind. Orn. Suppl.* p. lviii.; *Lamb. Icon. ined.* i. 66.
Caprimulgus cristatus *Shaw*, *White's Voy.* pl. 29.
Ægotheles cristatus *G. R. Gray*, *List of Gen. of B.* (1840) p. 7.
Ægotheles lunulatus *Jard. & Selby*, *Ill. of Orn.* pl. 149.
Ægotheles australis *Swains. Classif. of B.* ii. p. 338.
Podargus? novæ hollandiæ *Steph. Gen. Zool.* xiii. p. 93.
Phil. Bot. Bay, pl. in p. 270.; *Gould*, *B. of Austr.* ii. pl. 1.

a, *b*. Australia. Presented by M.-Gen. T. Hardwicke.
c. Upper Hunter, New South Wales. From Mr. Gould's Collection.
d. Australia. From Mr. Gould's collection.
e. South Australia, male. Presented by His Excell. Capt. Sir G. Grey.
f. South Australia, female. Presented by His Excell. Capt. Sir G. Grey.
g. River Murray, S. Australia. Presented by His Excell. Capt. Sir G. Grey.
h. Interior of South Australia. Presented by Capt. Sturt.
i. *j*. Young.
k. Sternum, South Australia. Presented by His Excell. Capt. Sir G. Grey.

2. ÆGOTHELES LEUCOGASTER. The white-bellied Nightjar.

Ægotheles leucogaster *Gould*, *Proc. Zool. Soc.* (1844) p. 106.
B. of Austr. ii. pl. 2.

a, *b*. North-eastern Australia. Presented by Lt.-Col. Sir T. L. Mitchell.

5. NYCTIBIUS.

Nyctibius *Vieill. Analyse*, p. 38. (1816).

1. NYCTIBIUS GRANDIS. The grand Goatsucker.

Caprimulgus grandis *Gmel. S. N.* i. p. 1029.
Nyctibius grandis *Vieill. Dict. d'Hist. Nat.* xvi. p. 7.; *Lafr. Mag. de Zool.* (1837) *Ois.* p. 23.
Caprimulgus maximus *Shaw*, *Lev. Mus.* pl. 9.
Pl. enl. 325.; *Jard. and Selby*, *Ill. Orn.* pl. 89.

a. South America.
b. Cayenne, very young. From M. Cuoy's Collection.

2. NYCTIBIUS JAMAICENSIS. The Jamaica Goatsucker.

Nyctibius jamaicensis *Steph. Gen. Zool.* xiii. p. 91.
Caprimulgus jamaicensis *Gmel. S. N.* i. p. 1029.
Lath. Gen. Syn. pl. 75.

a, *b*. Jamaica. From Mr. Gosse's Collection.

3. ? NYCTIBIUS PECTORALIS. The Cayenne Goatsucker.

Nyctibius pectoralis *Gould*, *Icones Avium*, pl. .

a—c. South America. From Mr. Warwick's Collection.
d. Cayenne. Presented by H. C. Rothery, Esq.

4. NYCTIBIUS ÆTHEREUS. The great-tailed Goatsucker.

Caprimulgus æthereus *Pr. Max. Beitr.* i. p. 204.
Caprimulgus longicaudatus *Spix*, *Av. Bras.* ii. t. 2.
Nyctibius æthereus *G. R. Gray*, *Gen. of B.* i. p. .
Nyctibius longicaudatus *Lafr. Mag. de Zool.* (1837) *Ois.* p. 25.

a. Brazil. From Mr. Leadbeater's Collection.

ii. *CAPRIMULGINÆ.*

1. CAPRIMULGUS.

Caprimulgus *Linn. S. N.* (1756).
Hirundo (pars) *Linn. S. N.* (1735).
Nyctichelidon *Renn. Mont. Orn. Dict.* (1831) p. 342.
Antrostomus *Gould*, *Bonap. Comp. List of Birds.* (1838).
Hydropsalis *Wagl. Isis*, (1832) p. 1222.
Psalurus *Swains. Classif. of B.* ii. p. 339. (1837).

a. *CAPRIMULGUS.*

1. CAPRIMULGUS EUROPÆUS. The European Goatsucker.

Caprimulgus europæus *Linn. S. N.* i. p. 346.; *Yarrell*, *Brit. Birds*, ii. p. 270.
Caprimulgus punctatus *Meyer*, *Tasch. Deut.* i. p. 284.; *Brehm*, *Vög. Deut.* i. p. 130.
Caprimulgus maculatus *Brehm*, *Vög. Deut.* i. p. 131. t. 10. f. 1.

Nycticheliden europæus *Renn. Mont. Orn. Dict.* p. 335. *Pl. enl.* 193.; *Gould, B. of Eur.* pl. 51.

a. Devonshire, male. From Col. Montagu's Collection.
b. Devonshire, female. From Col. Montagu's Collection.
c—e. Cambridgeshire, males. Presented by Mr. J. Baker.
f. Cambridgeshire, female. Presented by Mr. J. Baker.
g, h. Cambridgeshire, young. Presented by Mr. J. Baker.
i. Europe, male. Presented by J. Gould, Esq.
j. South Africa, female. From Dr. A. Smith's Collection.
k. Sternum, England. Presented by John Ray, Esq.

2. CAPRIMULGUS RUFICOLLIS. The rufous-necked Goatsucker.

Caprimulgus ruficollis *Temm. Man. d'Orn.* (1820) i. p. 438.
Caprimulgus rufitorquis *Vieill. Encyc. Méth.* p. 546.
Gould, B. of Eur. pl. 52.

a. Europe, male. From M. Parzudaski's Collection.
b. Tunis, young. From Mr. Fraser's Collection.

3. CAPRIMULGUS RUFIGENA. The rufous-cheeked Goatsucker.

Caprimulgus rufigena *Smith, Ill. Zool. of S. Afr. Birds*, pl. 100.

a. Cape of Good Hope. Presented by Dr. Andrew Smith.

4. CAPRIMULGUS ISABELLINUS. The isabella-coloured Goatsucker.

Caprimulgus isabellinus *Temm. Pl. Col.* 379.
Caprimulgus ægyptius *Licht. Cat. Dupl. Berl. Mus.* p. 59.

a. Abyssinia. From the Frankfort Museum.
b. Egypt. From Mr. Warwick's Collection.

5. CAPRIMULGUS NATALENSIS. The Port Natal Goatsucker.

Caprimulgus natalensis *Smith, Ill. Zool. of S. Afr. Birds*, pl. 99.

a. Port Natal, South Africa. Presented by Dr. A. Smith.
b. Port Natal, South Africa. From Mr. Argent's Collection.

6. CAPRIMULGUS LENTIGINOSUS. The South-African Goatsucker.

Caprimulgus lentiginosus *Smith, Ill. Zool. of S. Afr. Birds*, pl. 101.

a. South Africa. Presented by Dr. Andrew Smith.

7. CAPRIMULGUS PECTORALIS. The pectoral-banded Goatsucker.

Caprimulgus pectoralis *Cuv. Règ. Anim.* (1817) i. p. 376.
Caprimulgus africanus *Steph. Gen. Zool.* x. p. 157.
Levaill. Ois. d'Afr. t. 49.

a, *b*. Cape of Good Hope. Presented by F. Campbell, Esq.
c. Cape of Good Hope.
d. Cape of Good Hope. Presented by F. Campbell, Esq.

8. CAPRIMULGUS INDICUS. The Indian Goatsucker.

Caprimulgus indicus *Lath.* (?) *Ind. Orn.* ii. p. 588.
Caprimulgus cinerascens *Vieill. N. Dict. d'Hist. Nat.* x. p. 283.
Caprimulgus saturior *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Gray, Ill. Ind. Zool. pl. 34.; f. 1. *Hodgs. Icon. ined. Pass.* 1. f. 1. 2. v. 42. f. 2.

a. Nepal, male. Presented by B. H. Hodgson, Esq.
b. Madras, male, young. Presented by Mr. J. Baker.
c. Nepal, female. Presented by B. H. Hodgson, Esq.
d. Nepal, young. Presented by B. H. Hodgson, Esq.
e. Madras, young. Presented by the Rev. B. B. Baber.
f. Madras, male, young. Presented by T. C. Jerdon, Esq.
g. Madras, female, young. Presented by T. C. Jerdon, Esq.
h—j. Himalayah Mountains. Presented J. R. Reeves, Esq.
k. India. From Mr. Warwick's Collection.
l. Java? Presented by the Hon. East India Company.
m. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

9. CAPRIMULGUS ASSIMILIS. The allied Goatsucker.

a. Borneo, male. Presented by His Excell. Sir J. Brooke.
b. Indian Archipelago, female. Presented by Capt. Sir E. Belcher, C. B. R. N.

10. CAPRIMULGUS SPILOCIRCUS. The spotted-tailed Goatsucker.

Caprimulgus macrourus *Jerd. Ill. Orn.* pl. 24.
Caprimulgus mahrattensis (*Sykes*), *Jerd. Madr. Journ. Lit. & Sci.* (1840) p. 234., (1844) p. 143.

a. Madras (Eastern Ghauts). Presented by T. C. Jerdon, Esq.

11. CAPRIMULGUS MANILLENSIS. The Manilla Goatsucker.

a, *b*. Manilla. From Mr. Cuming's collection.

12. Caprimulgus albonotatus. The Nepal Goatsucker.

Caprimulgus albonotatus *Tick. Journ. A. S. B.* ii. p. 580.
Caprimulgus nipalensis *Hodgs. Gray's Zool. Misc.* (1844), p. 82.
Caprimulgus innotatus *Hodgs*
Caprimulgus macrourus *Blyth, Journ. A. S. B.*
Hodgs. Icon. ined. Pass. 2. f. 1, 2, 3. v. 35. f. 1. 36.

a—i. Nepal. Presented by B. H. Hodgson, Esq.
j. Gangoutra, Himalayah Mountains.
k. Darzeeling. Presented by B. H. Hodgson, Esq.
l. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

13. Caprimulgus monticola. The bare-legged Goatsucker.

Caprimulgus monticola *Frankl. Proc. Zool. Soc.* (1831) p. 116.
Caprimulgus gymnopus *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Hodgs. Icon. ined. Pass. 3.

a. India. Presented by the Hon. East India Company.
b. Sumatra.
c. Himalayah Mountains. Presented by J. R. Reeves, Esq.
d. Nepal. Presented by B. H. Hodgson Esq.
e. Madras, male. Presented by T. C. Jerdon, Esq.
f. Madras, female. Presented by T. C. Jerdon, Esq.
g. India, female Presented by W. W. Saunder, Esq.

✓14. Caprimulgus asiaticus. The Bombay Goatsucker.

Caprimulgus asiaticus *Lath. Ind. Orn.* ii. p. 588.
Gray, Ill. Ind. Zool. pl. 34. f. 2.

a—c. India. Presented by J. R. Reeves, Esq.
d. ——— ? Presented by M.-Gen. T. Hardwicke.

15. Caprimulgus cayanensis. The white-necked Goatsucker.

Caprimulgus cayanensis *Gmel. S. N.* i. p. 1031.
Caprimulgus cayanus *Lath. Ind. Orn.* ii. p. 587.
Caprimulgus leucurus *Vieill. N. Dict. d'Hist. Nat.* x. p. 246.
Caprimulgus leopetes *Jard. & Selby, Ill. of Orn.* pl. 87.
Azara, No. 314.

a. Cayenne.

16. Caprimulgus bifasciatus. The bifasciated Goatsucker.

Caprimulgus bifasciatus *Gould, Proc. Zool. Soc.* (1837) p. 22.; *Voy. of Beagle, Birds*, p. 36.

a—d. Chili. From Mr. Brydges's Collection.

17. CAPRIMULGUS ———? The ———? Goatsucker.

a. Bolivia. From Mr. Brydges's Collection.
b. Caraccas, male. From Mr. Dyson's Collection.
c. Caraccas, female. From Mr. Dyson's Collection.

18. CAPRIMULGUS SEMITORQUATUS. The white-collared Goatsucker.

Caprimulgus semitorquatus *Gmel. S. N.* i. p. 1031.
Pl. enl. 734.; *G. R. Gray and Mitch. Gen. of B.* pl. 18.

a. Para. Presented by R. Graham, Esq.

19. CAPRIMULGUS RETICULATUS. The reticulated Goatsucker.

a. Brazil. From Mr. Leadbeater's Collection.

20. CAPRIMULGUS ———? The ———? Goatsucker.

a. ———? Presented by M.-Gen. T. Hardwicke.

21. CAPRIMULGUS OCELLATUS. The ocellated Goatsucker.

Caprimulgus ocellatus *Tschudi, Consp. Av.* p. 8. 4to edit. t. 5. f. 2.
Caprimulgus brasiliensis (*Gmel.*) *Tschudi, Faun. Per.* 4to edit. p. 20.

a. Brazil? Presented by J. Gould, Esq.
b. South America. From Mr. Warwick's Collection.

b. *ANTROSTOMUS.*

22. CAPRIMULGUS CAROLINENSIS. The Carolina Goatsucker.

Caprimulgus carolinensis *Briss. Ornith.* ii. p. 475.
Caprimulgus rufus *Vieill. Ois. d'Amér.* t. 25.
Anthrostomus carolinensis *Gould, Bonap. Geogr. Compar. List of Birds of Eur. and N. Amer.* p. 8.
Catesby, Carol. pl. 8.; *Wils. Amer. Orn.* pl. 54. f. 2.; *Audub. B. of Amer.* pl. 52.

a. North America. Presented by M.-Gen. T. Hardwicke.

c. *HYDROPSALIS.*

23. CAPRIMULGUS FURCIFER. The scissor-tailed Goatsucker.

Caprimulgus furcifer *Vieill. N. Dict. d'Hist. Nat.* x. p. 242.
Caprimulgus psalurus *Temm. Pl. col.* 157.

Hydropsalis Azaræ *Wagl. Isis*, (1832) p. 1222.
Hydropsalis furcifer *G. R. Gray*, *List of Gen. of B.* (1840) p. 8.
Psalurus macropterus *Swains. Classif. of B.* ii. p. 339.
Caprimulgus fissicaudus *Merr. Ersch. und Grub. Encyc.* xii. p. 148. *Azara*, No. 309.

a. Brazil, male.
b. Brazil, female. Presented by J. Gould, Esq.
c. Brazil, female.

24. Caprimulgus boliviensis. The Bolivian Goatsucker.

a. Bolivia, male. From Mr. Brydges's Collection.
b. Bolivia, female. From Mr. Brydges's Collection.

25. Caprimulgus climacocercus. The Guiana Goatsucker.

Caprimulgus climacocercus *Tschudi*, *Faun. Peruv. Av. Consp.* No. 38.
Fauna Peruana, t. 6. f. 1.

a. British Guiana, male. Presented by Sir R. Schomburgk.
b. British Guiana, female. Presented by Sir R. Schomburgk.
c. British Guiana, . Presented by Sir R. Schomburgk.

26. Caprimulgus manurus. The double-tailed Goatsucker.

Caprimulgus manurus *Vieill. N. Dict. d'Hist. Nat.* x. p. 239.

a. Bahia, male. From the Sunbury Museum.

2. ELEOTHREPTUS.

Eleothreptus *G. R. Gray*, *List of Gen. of B.* (1840) p. 7.
Amblypterus *Gould*, *Proc. Zool. Soc.* (1837) p. 105.
Amplypterus *Weigm. Arch.* (1838).

1. Eleothreptus anomalus. The curved-quilled Goatsucker.

Amblypterus anomalus *Gould*, *Proc. Zool. Soc.* (1837) p. 105. *Icon. Av.* pl. .
Eleothreptus anomalus *G. R. Gray*, *List of Gen. of B.* (1840) p. 7.

a. Demerara (?). Presented by J. E. Gray, Esq.

3. NYCTIDROMUS.

Nyctidromus *Gould, Icon. Av.* (1838).

1. Nyctidromus derbyanus. Derby's Night-Runner.

Nyctidromus Derbyanus *Gould, Icones Avium*, pl. .

a. Brazil.
b. Brazil. Presented by Capt. Lord Byron, R.N.
c. Para. Presented by R. Graham, Esq.

2. ? Nyctidromus affinis. The allied Night-Runner.

a. Mexico. From Mr. Argent's Collection.
b. Belize, Honduras. From Mr. Dyson's Collection.
c. ? Mexico. From Mr. Argent's Collection.

4. EUROSTOPODUS.

Eurostopodus *Gould, Proc. Zool. Soc.* (1837) p. 142.
Lyncornis *Gould, Icones Avium* (1838).

a. *Eurostopodus.*

1. Eurostopodus albogularis. The white-throated Goatsucker.

Caprimulgus albogularis *Vig. & Horsf. Linn. Trans.* xv. p. 194.
Eurostopodus albogularis *Gould, Proc. Zool. Soc.* (1837) p. 142.
Caprimulgus mysticalis *Temm. Pl. col.* 410.
Caprimulgus albomaculatus *Cuv.*
Gould, B. of Austr. ii. pl. 7.; *Pl. col.* 410.

a. Woody Wallis's Island. Presented by the Earl of Derby.
b Australia, young.

2. Eurostopodus guttatus. The spotted-winged Goatsucker.

Caprimulgus guttatus *Vig. & Horsf. Linn. Trans.* xv. p. 192.
Eurostopodus guttatus *Gould, Proc. Zool. Soc.* (1837) p. 142.
Gould, B. of Austr. ii. pl. 7.

a. Australia. Presented by Lady Carrington.
b South Australia. Presented by His Excell. Capt. Sir G. Grey.

c. Red Wallis's Island. Presented by the Earl of Derby.
d. Australia. From Mr. Leadbeater's Collection.
e. Interior of South Australia. Presented by Capt. Sturt.
f. Victoria, North-western Australia. Presented by Capt. W. Chambers, R.N.

b. *LYNCORNIS.*

3. EUROSTOPODUS MACROTIS. The great-eared Goatsucker.

Caprimulgus macrotis *Vigors, Proc. Zool. Soc.* (1831) p. 97.
Lyncornis macrotis *Gould, Icon. Av.* pl. .
Eurostopodus macrotis *G. R. Gray, Gen. of B.* i. p. .

a. Philippine Islands. From Mr. Cuming's Collection.

4. EUROSTOPODUS ——— ? The ——— Goatsucker.

a. North parts of China. From Mr. Fortune's Collection.

5. EUROSTOPODUS TEMMINCKII. Temminck's Goatsucker.

Lyncornis Temminckii *Gould, Icon. Av.* pl. .
Caprimulgus pulcher *A. Hay, Madr. Journ.*
Caprimulgus imberbis *Temm. MSS.*
Eurostopodus Temminckii *G. R. Gray, Gen. of B.* i. p. .

a, b. Indian Archipelago. From Mr. Warwick's Collection.
c. Indian Archipelago.

iii. *PODAGERINÆ.*

1. SCOTORNIS.

Scotornis *Swains. Classif. of B.* ii. p. 339. (1837).

1. SCOTORNIS CLIMACURUS. The long-tailed Goatsucker.

Caprimulgus climacurus *Vieill. Gal. des Ois.* t. 122.
Caprimulgus longicaudus *Steph. Gen. Zool.* xiii. p. 89.
Scotornis climacterus *Swains. Classif. of B.* ii. p. 339.
Lath. Hist. of B. vii. pl. 114.

a. Gambia. From Mr. Rendall's Collection.
b. Western Africa. From Mr. Gould's Collection.
c. Western Africa. Presented by Col. Sabine, R.A.

2. MACRODIPTERYX.

Macrodipteryx *Swains. Classif. of B.* ii. p. 339. (1837).
Semeïophorus *Gould, Icon. Av.* ii. p. . (1838).
Cosmetornis *G. R. Gray, List of Gen of B.* (1840) p. 8.

1. Macrodipteryx longipennis. The Leona Goatsucker.

Macrodipteryx longipennis *G. R. Gray, List of Gen. of B.* (1840) p. 8.
Caprimulgus longipennis *Shaw, Nat. Misc.* pl. 265.
Caprimulgus macrodipterus *Afzel. Descr. Sierra Leona.*
Macrodipteryx africanus *Swains. Classif. of B.* ii. p. 339.

a. Sierra Leona, male. Presented by Col. Sabine, R.A.
b. Sierra Leona, female. Presented by Col. Sabine, R. A.

3. CHORDEILES.

Chordeiles *Swains. Faun. Bor. Amer.* ii. p. 496. (1831).

1. Chordeiles virginianus. The Virginian Goatsucker.

Caprimulgus virginianus *Briss. Orn.* ii. p. 477.
Chordeiles virginianus *Swains. Faun. Bor. Amer.* ii. p. 337. 496.
Caprimulgus (Chordeiles) virginianus *Swains. Faun. Bor. Amer.* ii. p. 337.
Caprimulgus popetue *Vieill. Ois. d'Amér. Sept.* t. 24.
Caprimulgus americanus *Wils. Amer. Orn.* pl. 40.
Edwards, Birds, pl. 63.; *Audub. B. of Amer.* pl. 147.

a. North America. Presented by M.-Gen. Hardwicke.
b. Northern Land Exped. Presented by Capt. Sir G. Back, R. N.

2. Chordeiles ——— ? The ——— Goatsucker.

a. Lima, male. Presented by J. Gould, Esq.
b. Cayenne, female. Presented by H. C. Rothery, Esq.
c. ——— ? ——— ?
d. South America. From Baron Laugier's Collection.

3. Chordeiles rupestris. The Rock Goatsucker.

Caprimulgus rupestris *Spix, Av. Bras.* ii. t. 2.
Chordeiles rupestris *G. R. Gray, Gen. of B.* i. p.

a. Para. From Mr. Warwick's Collection.

4. PODAGER.

Podager *Wagl. Isis*, (1832) p. 277.
Proïthera *Swains. Classif. of B.* ii. p. 339. (1837).

1. Podager nacunda. The Nacunda Goatsucker.

Podager nacunda *G. R. Gray*, *List of Gen. of B.* (1840) p. 10.
Caprimulgus nacunda *Vieill. N. Dict. d'Hist. Nat.* x. p. 240.
Caprimulgus diurnus *Pr. Max. Beitr.* iii. p. 326.; *Temm. Pl. col.* 182.
Podager diurnus *Wagl. Isis*, (1832) p. 277.
Caprimulgus campestris *Licht. Cat. Dupl. Berl. Mus.* p. 59.
Proïthera diurnus *Swains. Classif. of B.* ii. p. 339.
Azara, No. 312.

a, *b*. Brazil. Presented by Lord Stuart de Rothesay.
c. Brazil. From Mr. Warwick's Collection.

2. Podager Nattererii. Natterer's Goatsucker.

Caprimulgus Nattererii *Temm. Pl. col.* 107.
Podager Nattererii *G. R. Gray*, *Gen. of B.* i. p.

a. Brazil. Presented by Lord Stuart de Rothesay.
b. Brazil. From Mr. Leadbeater's Collection.
c. South America.

3. ? Podager Gouldii. Gould's Goatsucker.

Podager Gouldii *G. R. Gray and Mitch. Gen. of B.* pl. 18.

a. Cayenne. Presented by H. C. Rothery, Esq.

Subtribe II. *Fissirostres Diurnæ.*

Fam. II. HIRUNDINIDÆ.

i. *Cypselinæ.*

1. ACANTHYLIS.

Acanthylis *Boie*, *Isis*, (1826) p. 971.
Chætura *Steph. Gen. Zool.* xiii. p. 76. (1825).
Hemiprocne *Nitzsch*, *Petrylog.* p. 123. (1840).
Pallène *Less. Compl. Buff.* viii. p. 493. (1837).
Hirund-apus *Hodgs. Journ. A. S. B.* (1836) p. 780.

1. Acanthylis caudacuta. The Australian needle-tailed Swallow.

Hirundo caudacuta *Lath. Ind. Ornith. Suppl.* p. lvii.
Acanthylis caudacuta *G. R. Gray*, *Ann. of Nat. Hist.* (1843) p. 194.
Hirundo fusca *Steph. Gen. Zool.* xiii. p. 76.
Chætura australis *Steph. Gen. Zool.* xiii. p. 76.
Chætura macroptera *Swains. Zool. Illustr.* n. s. pl. 42.
Pallène macroptera *Boie*, *Isis*, (1844) p. 168.
Pallène caudacuta *Boie*, *Isis*, (1844) p. 168.
Lamb. Icon. ined. ii. 88.; *Gould*, *B. of Austr.* ii. pl. 10.

a. Australia.
b. Australia. From Mr. Warwick's Collection.
c. Australia. Presented by R. Butler, Esq.

2. Acanthylis nudipes. The naked-footed Acanthylis.

Chætura nudipes *Hodgs. Journ. A. S. B.* (1836) p. 779.
Acanthylis nudipes *G. R. Gray*, *Gen. of B.* i. p. .
Cypselus leuconotus *Deless. Mag. de Zool.* (1840) *Ois.* t. 20.
Souv. Voy. dans l'Inde, *Ois.* t. 9.
Pallène leuconota *Boie*, *Isis* (1844) p. 168.
Hodgs. Icon. ined. Pass. 5.

a—d. Nepal. Presented by B. H. Hodgson, Esq.
e. Sternum. Presented by B. H. Hodgson, Esq.

3. Acanthylis collaris. The collared Acanthylis.

Hirundo collaris *Temm. Pr. Max. Beitr.* (1831) ii. p. 344.
Chætura collaris *Steph. Gen. Zool.* xiii. p. 76.
Acanthylis collaris *G. R. Gray*, *Gen. of B.* i. p.
Hemiprocne collaris *Nitzsch*, *Petrylog.* p. 123.

Apus (Pallène) collaris *Less. Compl. Buff.* viii. p. 493.
Pallène collaris *Boie, Isis*, (1844) p. 168.
Cypselus torquatus *Licht.*
Hirundo albicollis *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 524.
Hirundo zonaris *Shaw, Cim. Phys.* pl. 55.?
Pl. col. 195.; *Vieill. Gal. des Ois.* t. 120.

a, b. Brazil. Presented by Lord Stuart de Rothesay.
c. British Guiana. From Sir R. Schomburgk's Collection.
d. Caraccas. From Mr. Dyson's Collection.
e. Brazil.? Presented by M.-Gen. Hardwicke.

4. Acanthylis pelasgia. The aculeated Swallow.

Hirundo pelasgia *Linn. S. N.* i. p. 345.
Acanthylis pelasgia *G. R. Gray, List of Gen. of B.* (1840) p. 8.
Chætura pelasgia *Steph. Gen. Zool.* xiii. p. 76.
Apus (Pallène) pelasgia *Less. Compl. Buff.* viii. p. 494.
Pl. enl. 726. f. 2.; *Vieill. Ois. d'Amér. Sept.* t. 33.; *Wils. Amer. Orn.* pl. 39. f. 1.; *Audub. B. of Amer.* pl. 158.

a. North America. Presented by J. Audubon, Esq.
b. North America. Presented by Dr. Ridgeway.

5. Acanthylis ———? The ——— Acanthylis.

a. Caraccas. From Mr. Dyson's Collection.

6. Acanthylis polioura. The grey-tailed Acanthylis.

Cypselus poliourus *Temm. Pl. enl.* 726. f. 2.

a. Cayenne. From Mr. Warwick's Collection.

7. Acanthylis spinicauda. The grey-backed Acanthylis.

Cypselus spinicaudus *Temm.*
Acanthylis spinicauda *Boie, Isis*, (1826) p. 971.
Hirundo pelasgia var. *Lath.*
Pl. enl. 726. f. 1.

a. Brazil.? From Mr. Leadbeater's Collection.

8. Acanthylis Sabini. The white-backed Acanthylis.

Chætura Sabini *Gray, Griff. An. Kingd.* ii. p. 70.
Acanthylis Sabini *G. R. Gray, Gen. of B.* i. p.
Chætura bicolor *Gray, Zool. Misc.* p. 7.
Pallène leucopygia *Boie, Isis*, (1844) p. 168.

a. Western Africa. Presented by Col. Sabine, R. A.

2. MACROPTERYX.

Macropteryx *Swains. Zool. Illustr.* (1832).
Macropterus *Swains.*
Pallestre *Less. Compl. Buff.* viii. p. 490. (1837).
Dendrochelidon *Boie, Isis,* (1832 ?) 1844, p. 165.

1. Macropteryx Klecho. The Klecho Swallow.

Hirundo Klecho *Horsf. Linn. Trans.* xiii. p. 143.
Apus (Pallestre) Klecho *Less. Compl. Buff.* viii. p. 490.
Macropteryx Klecho *G. R. Gray, List of Gen. of B.* (1840) p. 8.
Cypselus Klecho *Steph. Gen Zool.* xiii. p. 81.
Dendrochelidon Klecho *Boie, Isis,* (1844) p. 166.
Cypselus longipennis *Temm. Pl. col.* 13. f. 1.
Macropteryx longipennis *Swains. Zool. Illustr.* n. s. pl. 74.

a, b. Indian Archipelago. Presented by J. Gould, Esq.
c. Java, young. Presented by the Hon. East India Comp.
d. Malacca, female. Presented by the Earl of Ellenborough.

2. Macropteryx coronata. The crested Macropteryx.

Hirundo coronata *Tick. Journ. A. S. B.* (1833) p. 580.
Macropteryx longipennis *Jerd. Madr. Journ. Lit. & Sci.* (1840) p. 236.
Macropteryx coronatus *Blyth, Journ. A. S. B.* (1846) p. 21.

a—c. Behar. Presented by B. H. Hodgson, Esq.
d. Madras. Presented by T. C. Jerdon, Esq.

3. Macropteryx comatus. The hooded Macropteryx.

Macropteryx comatus *Swains. Classif. of B.* ii. p. 340.
Cypselus comatus *Temm. Pl. col.* 268.
Apus (Pallestre) comatus *Less. Compl. Buff.* viii. p. 491.
Dendrochelidon comatus *Boie, Isis,* (1844) p. 166.

a, b. Philippine Islands. From Mr. Cuming's Collection.

4. Macropteryx mystaceus. The bearded Macropteryx.

Macropteryx mystaceus *Swains. Classif. of B.* ii. p. 340.
Cypselus mystaceus *Less. Voy. de la Coqu. Ois.* t. 22.
Apus (Pallestre) mystaceus *Less. Compl. Buff.* viii. p. 491.
Dendrochelidon mystaceus *Boie, Isis,* (1844) p. 166.

a. New Guinea.

3. CYPSELUS.

Cypselus *Ill. Prod. Mam.* p. 229. (1811).
Apus *Scop. Introd Hist. Nat.* p. 483. (1777).
Micropus *Meyer & Wolf*, *Tasch. Deuts. Vög.* i. p. 280. (1810).
Brachypus *Meyer*.
Tachornis *Gosse*, *B. of Jam.* p. 58. (1848).

1. Cypselus melba. The white-bellied Swift.

Cypselus melba *Ill. Prod. Mam. & Av.* p. 230.
Apus melba *Cuv. Règ. Anim.* (1817) i. p. 373.
Hirundo melba *Linn. S. N.* i. p. 345.
Micropus melba *Boie*, *Isis*, (1844) p. 165.
Hirundo alpina *Scop. Ann.* i. p. 166.
Cypselus alpinus *Temm. Man. d'Orn.* (1815) p. 270.; *Brehm*, *Vög. Deuts.* i. p. 134.; *Yarrell*, *Brit. Birds*, ii. p. 266.
Micropus alpinus *Meyer & Wolf*, *Tasch. Deut.* i. p. 282.; *Edwards*, *Birds*, pl. 27.
Cypselus alpinus africanus *Temm. Man. d'Orn.* (1815) p. 270.
Cypselus gutturalis *Vieill. N. Dict. d'Hist. Nat.* xix. p. 422.
Hirundo gularis *Steph. Gen. Zool.* x. p. 99.
Levaill. Ois. d'Afr. t. 243.

a. Europe.
b. Cape of Good Hope. From the South African Museum.
c. Madras. Presented by T. C. Jerdon, Esq.

2. Cypselus apus. The common Swift.

Hirundo apus *Linn. S. N.* i. p. 344.
Apus —— ? *Cuv. Règ. An.* (1817) i. p. 373.
Cypselus apus *Ill. Prod. Mamm. & Av.* p. 230.; *Brehm*, *Vög. Deuts.* i. p. 136.; *Yarrell*, *Brit. Birds*, ii. p. 260.
Cypselus vulgaris *Steph. Gen. Zool.* x. p. 72.
Micropus murarius *Meyer & Wolf*, *Tasch. Deut.* i. p. 281.
Micropus apus *Boie*, *Isis*, (1844) p. 165.
Cypselus murarius *Temm. Man. d'Orn.* (1815) p. 271.
Cypselus caffer *Licht. Cat. Dupl. Berl. Mus.* p. 68.
Pl. enl. 242. f. 1.

a. London. Presented by J. F. Stephens, Esq.
b. Hampshire, female. Presented by Mr. G. L. Scott.
c. Europe. Presented by M.-Gen. Hardwicke.
d. Tunis. From Mr. Fraser's Collection.
e. Cape of Good Hope. From the South African Museum.
f. Sternum, England. Presented by T. Ingall, Esq.

3. Cypselus affinis. The allied Swift.

Cypselus affinis *Gray*, *Illustr. Ind. Zool.* pl. 35. f. 2.
Cypselus nipalensis *Hodgs. Journ. A. S. B.* (1836) p. 780.
Micropus affinis *Boie*, *Isis*, (1844) p. 165.
Hodgs. Icon. ined. Pass. 4. 101.

a. India.
b. Madras. Presented by W. Elliot, Esq., of Wolflee.
c—f. Nepal. Presented by B. H. Hodgson, Esq.
g. Behar. Presented by B. H. Hodgson, Esq.

4. Cypselus pygargus. The South African Swift.

Cypselus pygargus *Temm. Pl. col.* 460. f. 1.
Atticora pygargus *Boie*, *Isis*, (1844) p. 172.
Apus pygargus *Less. Compl. Buff.* viii. p. 490.

a, *b.* Cape of Good Hope. Presented by J. Gould, Esq.
c. Cape of Good Hope. Presented by the Earl of Derby.

5. Cypselus balassiensis. The Balassian Swift.

Cypselus balassiensis *Gray*, *Griff. An. Kingd.* ii. p. 60.
Cypselus palmarum *Gray*, *Ill. Ind. Zool.* pl. 35. f. 1.
Atticora palmarum *Boie*, *Isis*, (1844) p. 172.

a. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.
b. Madras. Presented by T. C. Jerdon, Esq.
c, *d.* Behar. Presented by B. H. Hodgson, Esq.

6. Cypselus unicolor. The Madeira Swift.

Cypselus unicolor *Jard. & Selby*, *Ill. Orn.* pl. 83.
Micropus unicolor *Boie*, *Isis*, (1844) p. 165.
Apus unicolor *Less. Compl. Buff.* viii. p. 489.

a. Madeira. Presented by A. Halley, Esq. M.D.

7. Cypselus ambrosiacus. The Ambergris Swallow.

Hirundo ambrosiaca *Gmel. S. N.* i. p. 1021.
Atticora ambrosiaca *Boie*, *Isis*, (1844) p. 172.
Cypselus parvus *Licht. Cat. Dupl. Berl.* p. 58.
Pl. col. 460. f. 2.

a. Niger Expedition, adult. Presented by Mrs. Heywood and Capt. Allen, R. N.
b. Fernando Po, young. From Mr. Fraser's Collection.

8. Cypselus phœnicobius. The Palm Swift.

Tachornis phœnicobia *Gosse*, *B. of Jam.* p. 58.

a. Jamaica. From Mr. Gosse's Collection.
b. Jamaica. Presented by J. Gould, Esq.
c. Jamaica. From Mr. Leadbeater's Collection.
d. Nest, Jamaica. From Mr. Gosse's Collection.

9. Cypselus cayanensis. The white-collared Swift.

Hirundo cayanensis *Gmel. S. N.* i. p. 1024.
Cypselus cayanensis *Ill. Prod. Mamm. & Av.* p. 230.
Micropus cayanensis *Boie*, *Isis*, (1844) p. 165.
Pl. enl. 725. f. 2.

a. Bahia. From the Sudbury Museum.
b. Brazil. From Mr. Argent's Collection.
c. Bahia. From Warwick's Collection.

10. Cypselus andicolus. The Andesian Swift.

Cypselus andicolus *D'Orb. & Lafr. Syn. Av. Voy. dans l'Amér. Mér. Ois.* t. 42. f. 2.
Micropus andicolus *Boie*, *Isis*, (1844) p. 165.
Chelidon andicola *Boie*, *Isis*, (1844) p. 172.

a. Bolivia. From Mr. Brydges's Collection.

11. Cypselus senex.? The grey-headed Swift.

Cypselus senex *Temm.* Pl. col. 397. ?

a, *b*. Brazil. Presented by Lord Stuart de Rothesay.

12. Cypselus ——— ? The ——— Swift.

a. ———?

4. COLLOCALIA.

Collocalia *G. R. Gray*, *List. Gen. of B.* (1840) p. 8.

1. Collocalia nidifica. The esculent Swallow.

Collocalia nidifica *G. R. Gray*, *Gen. of B.* p. .
Hirundo esculenta var. *Lath.*
Hirundo esculenta *Horsf. Linn. Trans.* xiii. p. 142.
Lath. Gen. Syn. Supp. ii. pl. 135.

a. ———?
b. Borneo. From Mr. Cuming's Collection.
c. Borneo, young. From Mr. Cuming's Collection.
d. China Presented by J. Reeves, Esq.

2. Collocalia fuciphaga. The Linchi Swallow.

Hirundo fuciphaga *Act. Holm.* xxxiii. p. 151.

a. Java. Presented by the Hon. East India Comp.

3. Collocalia troglodytes. The white-backed Swallow.

Collocalia troglodytes *G. R. Gray & Mitch. Gen. of B.* pl. 19.

a, b. Malacca. From Mr. Cuming's Collection.

4. Collocalia francica. The grey-backed Swallow.

Hirundo francica *Gmel. S. N.* i. p. 1017.

a, b. Isle of France. From Mr. Warwick's Collection.

ii. *Hirundininæ.*

1. ATTICORA.

Atticora *Boie, Isis,* (1844) p. 172.

1. Atticora fasciata. The white-bellied Swallow.

Atticora fasciata *Boie, Isis,* (1844) p. 172.
Hirundo fasciata *Gmel. S. N.* i. p. 1022.
Hirundo (Cecropis) fasciata *Less. Compl. Buff.* viii. p. 498.
Pl. enl. 724. f. 2.; *Swains. Zool. Ill.* n. s. pl. .

a. Cayenne. From Mr. Warwick's Collection.
b. British Guiana. From Sir R. Schomburgk's Collection.

2. Atticora pristoptera. The white-sided Swallow.

Atticora pristoptera *G. R. Gray, Gen. of B.* i. p.
Hirundo (Chelidon) pristoptera *Rüpp. Faun. Abyss.* t. 39. f. 2.
Atticora albiscapulata (*Rüpp.*) *Boie, Isis,* (1844) p. 172.

a. Abyssinia. From the Frankfort Museum.

3. Atticora leucosternon. The white-breasted Swallow.

Hirundo leucosternus *Gould, Proc. Zool. Soc.* (1840) p. 172.
Atticora leucosternon *Gould, B. of Austr.* ii. pl. 12.

a. Australia.

4. Atticora ———? The ——— Swallow?

a. Cape of Good Hope. Presented by F. Campbell, Esq.
b. Cape of Good Hope. From Dr. Smith's Collection.
c. Cape of Good Hope. Presented by E. Wilson, Esq.

2. HIRUNDO.

Hirundo *Linn. S. N.* (1735).
Cecropis *Boie*, *Isis*, (1826) p. 971.
Herse *Less. Compl. Buff.* viii. p. 496. (1837).

1. HIRUNDO RUSTICA. The Chimney Swallow.

Hirundo rustica *Linn. S. N.* i. p. 343.; *Yarrell*, *Brit. Birds*, ii. p. 231. fig.
Hirundo domestica *Pall. Zoogr.* i. p. 528.
Cecropis rustica *Boie*, *Isis*, (1826) p. 971.; *Brehm*, *Vög. Deut.* i. p. 138.
Cecropis pagorum *Brehm*, *Vög. Deut.* i. p. 138.
Pl. enl. 543. f. 1.; *Gould*, *B. of Eur.* pl. 54.

a. Europe. From Mr. Gould's Collection.
b. Great Britain. Presented by M.-Gen. T. Hardwicke.
c. Cambridgeshire. Presented by Mr. J. Baker.
d. Europe.
e. ——— ? white variety.
f. Hayling Island, white variety. Presented by Alfred Miller, Esq.
g. Tunis, young. From Mr. Fraser's Collection.

2. ? HIRUNDO GUTTURALIS. The Panayan Swallow.

Hirundo gutturalis *Scop.*
Hirundo panayana *Gmel. S. N.* i. p. 1018.
Hirundo jewan *Sykes*, *Proc. Zool. Soc.* (1832) p. 83.
Hirundo rustica *Meyen*, *Nov. Acta* (1834) *Suppl.* t. 10. f. 1.
Hirundo javanica *Sparr. Mus. Carls.* t. 100.
Pl. col. 83. f. 2.; *Sonn. Voy.* t. 76.

a. China, young. Presented by T. Lay, Esq.
b. Philippine Islands. From Mr. Cuming's Collection.
c, *d*, *e.* Nepal. Presented by B H. Hodgson, Esq.
f. Tenasserim. Presented by J. D. C. Packman, Esq.
g. Philippine Islands. From Mr. Cuming's Collection.
h. India.
i. Sumatra, male.
k. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

3. HIRUNDO FRONTALIS. The Australian Chimney Swallow.

Hirundo javanica (*Sparr.*) *Vig. & Horsf. Linn. Trans.* xv. p. 191.
Hirundo frontalis *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 12. f. 1.
Hirundo neoxena *Gould*, *Proc. Zool. Soc.* (1842) p. 131.; *B. of Austr.* ii. pl. 13.

Hirundo pacifica (*Lath.*?) *Griff. An. Kingd.* ii. p. 96. pl.
Cecropis frontalis *Boie*, *Isis*, (1844) p. 174.
Hirundo (Herse) frontalis *Less. Compl. Buff.* viii. p. 497.

a. Australia.
b. South Australia, male. Presented by His Excellency Capt. Sir G. Grey.
c. Van Diemen's Land, young. From Mr. Gunn's Collection.

✓4. Hirundo daurica. The Daurian Swallow.

Hirundo daurica *Linn. Mant.* p. 528.
✓Hirundo alpestris *Pall. Zoogr.* i. p. 534. t. 30. f. 2.
✓Hirundo erythropygia *Sykes*, *Proc. Zool. Soc.* (1831) p. 83.
✓Hirundo nipalensis *Hodgs. Journ. A. S. B.* (1836) p. 780.
Hirundo (Cecropis) daurica *Less. Compl. Buff.* viii. p. 498.
Cecropis daurica *Boie*, *Isis*, (1844) p. 174.
Hirundo rufula *Temm. Man. d'Orn.* iii. p. 298.?

a, *b.* Nepal. Presented by B. H. Hodgson, Esq.
c, *d.* Behar. Presented by B. H. Hodgson, Esq.
e. India. From Mr. Argent's Collection.
f. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

5. Hirundo cucullata. The Cape Swallow.

Hirundo cucullata *Bodd. Tabl. Pl. Enl. d'Aub.* p. 45.
Hirundo capensis *Gmel. S. N.* i. p. 1019.
Hirundo (Cecropis) capensis *Less. Compl. Buff.* viii. p. 498.
Cecropis capensis *Boie*, *Isis*, (1826) p. 971.
Pl. enl. 723. f. 2.

a. Cape of Good Hope. Presented by M.-Gen. T. Hardwicke.

6. Hirundo striolata. The streaked Swallow.

Hirundo striolata *Temm. Schl. Rev. crit. des Ois. Eur.* p. 42?
Cecropis striolata *Boie*, *Isis*, (1844) p. 174.; *Rüpp. Syst. Uebers. Vög. Nord-Ost. Afr.* t. 6.
Hirundo abyssinica *Guer. Rev. Zool.* (1843) p 322.

a. Abyssinia, male. From Dr. Rüppell's Collection.

7. Hirundo senegalensis. The Senegal Swallow.

Hirundo senegalensis *Linn. S. N.* i. p. 345.
Hirundo (Cecropis) senegalensis *Less. Compl. Buff.* viii. p. 498.
Cecropis senegalensis *Boie*, *Isis*, (1844) p. 174.
Hirundo rufula (*Temm.*) *Gould*, *B. of Eur.* pl. 55.
Pl. enl. 310.; *B. of West. Afr.* ii. pl. 6.

a. Gambia. From Mr Rendall's Collection.

8. HIRUNDO MELANOCRISSUS. The black-vented Swallow.

Cecropis melanocrissus *Rüpp. Syst. Uebers. Vög. Nord-Ost. Afr.* t. 5.
Levaill. Ois. d'Afr. t. 245. f. 1.?

a. Abyssinia. From Dr. Rüppell's Collection.

9. HIRUNDO LEUCOSOMA. The white-bodied Swallow.

Hirundo leucosoma *Swains. B. of West. Afr.* ii. p. 74.
Chelidon leucosoma *Boie, Isis,* (1844) p. 171.

a. Western Africa.?

10. HIRUNDO ERYTHROGASTER. The rufous-bellied Swallow.

Hirundo erythrogaster *Bodd. Tabl. de Pl. enl. d'Aub.* p. 45.
Hirundo rufa *Gmel. S. N.* i. p. 1018.
Hirundo (Cecropis) rufa *Less. Compl. Buff.* viii. p. 498.
Cecropis rufa *Boie, Isis,* (1844) p. 175.
Hirundo americana *Wils. Amer. Orn.* pl. 38. f. 1, 2.
Cecropis americana *Boie, Isis,* (1828) p. 315.
Hirundo (Cecropis) americana *Less. Compl. Buff.* viii. p. 498.
Hirundo rustica *Audub. B. of Amer.* pl. 173.
Hirundo platensis *Steph. Gen. Zool.* x. p. 126.
Pl. enl. 724. f. 1.; *Vieill. Ois. d'Amér. Sept.* t. 30.

a. North America.
b. North America. From Mr. Warwick's Collection.
c. ? Para. Presented by R. Graham, Esq.
d? St. Nevis, ? West Indies, young. Presented by W. Cottle, Esq.

11. HIRUNDO FULVA. The rufous-necked Swallow.

Hirundo fulva *Vieill. Ois. d'Amér. Sept.* t. 32.
Cecropis fulva *Boie, Isis,* (1828) p. 315.
Hirundo (Cecropis) fulva *Less. Compl. Buff.* viii. p. 498.
Hirundo pœciloma *Gosse, B. of Jam.* p. 64.

a. Jamaica. From Mr. Leadbeater's Collection.
b. Jamaica. From Mr. Gosse's Collection.

12. HIRUNDO NIGRICANS. The dun-rumped Swallow.

Hirundo nigricans *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 523.
Cecropis nigricans *Boie, Isis,* (1844) p. 175.
Hirundo pyrrhonota *Lath. MSS. Vigors & Horsf. Linn. Trans.* xv. p. 190.

Cecropis pyrrhonota *Boie*, *Isis*, (1844) p. 175.
Collocalia arborea *Gould*, *B. of Austr.* ii. pl. 14.
Chelidon arborea *Gould*, *Introd to B. of Austr.* p. 29.
Hirundo (Herse) nigricans *Less. Compl. Buff.* viii. p. 497.
Hirundo (Herse) pyrrhonota *Less. Compl. Buff.* viii. p. 497.
Voy. de l'Astrol. Ois. t. 12. f. 2.

a. Australia. Presented by W. MacLeay, Esq.
b—d. Van Diemen's Land. From Mr. Gunn's Collection.
e, f. South Australia. Presented by His Excell. Capt. Sir G. Grey.
g. South Australia. Presented by C. D. E. Fortnum, Esq.
h. Australia. Presented by R. Butler, Esq.

13. HIRUNDO ARIEL. The Fairy Martin.

Collocalia Ariel *Gould*, *Proc. Zool. Soc.* (1842) p. 132.
Chelidon Ariel *Gould*, *Introd. to B. of Austr.* p. 29.
Hirundo Ariel *G. R. Gray*, *Gen. of B.* i. p. .
B. of Austr. ii. pl. 15.

a. Western Australia. From Mr. Gould's Collection.
b. North-eastern Australia. Presented by Lt.-Col. Sir T. L. Mitchell.

H. Dimidiata?

14. HIRUNDO ERYTHROCEPHALA. The red-headed Swallow.

Hirundo erythrocephala *Gmel. S. N.* i. p. 1024.?
Hirundo indica *Gmel. S. N.* i. p. 1025.?
Lath. Gen. Syn. iv. pl. 56.

a. Behar, adult male. Presented by B. H. Hodgson, Esq.
b. Behar, young. Presented by B. H. Hodgson, Esq.

15. HIRUNDO FILIFERA. The wire-tailed Swallow.

Hirundo? filifera *Steph. Gen. Zool.* xiii. p. 78.
Hirundo filicaudata *Frankl. Proc. Zool. Soc.* (1831) p. 115.
Hirundo (Cecropis) filifera *Less. Compl. Buff.* viii. p. 499.
Hirundo ruficeps *Licht. Cat. Dupl. Berl. Mus.* p. 58.
Chelidon ruficeps *Boie*, *Isis*, (1844) p. 171.
Lath. Hist. of B. pl. 113.

a. Madras, male. Presented by W. Elliot, Esq., of Wolflee.
b. ——— ? Presented by M.-Gen. T. Hardwicke.
d, e. Behar. Presented by B. H. Hodgson, Esq.
f. Abyssinia. From the Frankfort Museum.

16. Hirundo thalassina. The violet-green Swallow.

Hirundo thalassina *Swains. Phil. Mag.* (1827) p. 366.
Hirundo (Cecropis) thalassina *Less. Compl. Buff.* viii. p. 499.
Chelidon thalassina *Boie, Isis*, (1844) p. 171.
Audub. B. of Amer. pl. 385. f. 4, 5.

a, b. Mexico. From Mr. Leadbeater's Collection.

17. Hirundo euchrysea. The golden Swallow.

Hirundo euchrysea *Gosse, B. of Jam.* p. 68.

a. Jamaica. From Mr. Gosse's Collection.

18. Hirundo albiventer. The white-winged Swallow

Hirundo albiventer *Bodd. Tabl. Pl. enl. d'Aub.* p. 32.
Hirundo leucoptera *Gmel. S. N.* i. p. 1022.
Hirundo (Chelidon) leucoptera *Less. Compl. Buff.* viii. p. 494.
Chelidon leucoptera *Boie, Isis*, (1828) p. 316.
Pl. enl. 546. f. 2.

a. South America. Presented by Lieut. Mawe, R. N.
b. Para. Presented by R. Graham, Esq.
c. Demerara. From Mr. Warwick's Collection.

19. Hirundo melanoleuca. The pied Swallow.

Hirundo melanoleuca *Pr. Max. Beitr.* (1831) ii. p. 371.
Hirundo (Cecropis) melanoleuca *Less. Compl. Buff.* viii. p. 498.
Chelidon melanoleuca *Boie, Isis*, (1844) p. 172.
Pl. col. 209. *f.* 2.

a. Bahia. Presented by Charles Darwin, Esq.
b. Chili. From Mr. Brydges's Collection.

20. Hirundo bicolor. The Severn Swallow.

Hirundo bicolor *Vieill. Ois. d'Amér. Sept.* t. 31.
Hirundo (Chelidon) bicolor *Less. Compl. Buff.* viii. p. 494.
Hirundo viridis *Wils. Amer. Orn.* pl. 38. f. 3.
Chelidon viridis *Boie, Isis*, (1826) p. 971.
Hirundo leucogaster *Steph. Gen. Zool.* x. p. 106.
Chelidon leucogastra *Boie, Isis*, (1844) p. 171.
Audub. B. of Amer. pl. 98.

a. North America. Presented by Dr. Ridgeway.
b. North America.
c. Mexico. From Mr. Leadbeater's Collection.

21. HIRUNDO NIGRITA. The West African Swallow.

Hirundo nigrita *G. R. Gray & Mitch. Gen. of B.* pl. 20.

a. Niger Expedition. Presented by Mrs. Heywood and Capt. Allen.

22. HIRUNDO CYANOLEUCA. The blue and white Swallow.

Hirundo cyanoleuca *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 509.
Chelidon cyanoleuca *Boie, Isis,* (1826) p. 316.
Hirundo melampyga *Licht. Cat. Dupl. Berl. Mus.* p. 57.
Hirundo minuta *Pr. Max. Beitr.* (1831) ii. p. 369.
Azara, No. 303.; *Pl. col.* 209. f. 1.

a. Para. Presented by R. Graham, Esq.
b. Bolivia. From Mr. Brydges's Collection.
c. ? From Mr. Johnston's Collection.
d. Brazil. Presented by Lord Stuart de Rothesay.
e. Valley of Aragua. From Mr. Dyson's Collection.

23. HIRUNDO ——? The ——? Swallow.

a. Sierra Leona. Presented by Col. Sabine, R. N.

24. HIRUNDO ——? The ——? Swallow.

a. Cape of Good Hope, young. Presented by the Earl of Derby.

3. PROGNE.

Progne *Boie, Isis,* (1826) p. 971.

1. PROGNE PURPUREA. The purple Swallow.

Hirundo purpurea *Linn. S. N.* i. p. 344.; *Yarrell, Brit. Birds,* ii. p. 257. fig.
Hirundo violacea *Gmel. S. N.* i. p. 1026.
Hirundo cærulea *Vieill. Ois. d'Amér. Sept.* t. 26, 27.
Hirundo subis *Linn. S. N.* i. p 344.
Progne purpurea *Boie, Isis,* (1826) p. 971.
Hirundo versicolor *Vieill. N. Dict. d'Hist. Nat.* x. 509.
Hirundo ludoviciana *Cuv. Règ. Anim.* (1817) p. 374.
Hirundo (Cecropis) violacea *Less. Compl. Buff.* viii. p. 498.
Catesby's Carol. pl. 51.; *Pl. enl.* 722.; *Edwards's Birds,* pl. 120.; *Wils. Amer. Orn.* pl. 39. f. 1, 2.; *Audub. B. of Amer.* pl. 22.

a. North America, adult. Presented by Dr. Ridgeway.
b. North America, young. Presented by Dr. Ridgeway.

c. North America, young. Presented by M.-Gen. T. Hardwicke.
d. North America.
e. Bahia, adult. From the Sudbury Museum.
f. Bahia, young. From the Sudbury Museum.

2. Progne modesta. The uniform-coloured Swallow.

Hirundo concolor *Gould*, *Proc. Zool. Soc.* (1837) p. 22.
Progne modesta *Gould*, *Voy. of Beagle*, *Birds*, pl. 5.

a. Chili. From Mr. Brydges's Collection.

3. Progne domestica. The Bolivian Swallow.

Hirundo domestica *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 520.
Progne domestica *G. R. Gray*, *Gen. of B.* i. p.
Azara, No. 300.

a. Bolivia, adult. From Mr. Brydges's Collection.
b. Bolivia, young. From Mr. Brydges's Collection.

4. Progne dominicensis. The St. Domingo Swallow.

Progne dominicensis *Boie*, *Isis*, (1844) p. 178.
Hirundo dominicensis *Gmel. S. N.* i. p. 1025.
Hirundo albiventris *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 533.
Vieill. Ois. d'Amér. Sept. t. 28, 29.; *Pl. enl.* 545. f. 1.

a. Jamaica, adult. From Mr. Gosse's Collection.
b. Para. Presented by R. Graham, Esq.
c. Honduras, young. From Mr. Dyson's Collection.

5. Progne chalybea. The chalybeate Swallow.

Hirundo chalybea *Gmel. S. N.* i. p. 1026.
Progne chalybea *Boie*, *Isis*, (1844) p. 178.
Hirundo cayanensis *Briss. Orn.* ii. p. 495. t. 46. f. 1.
Cecropis chalybea *Boie*, *Isis*, (1828) p. 316.
Hirundo (Cecropis) chalybea *Less. Compl. Buff.* viii. p. 498.
Pl. enl. 545. f. 2.

a. Para, adult.? Presented by R. Graham, Esq.

6. ? Progne fusca. The brown Swallow.

Hirundo fusca *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 510.
Progne fusca *G. R. Gray*, *Gen. of B.* i. p. .

a. South America.
b, *c.* Brazil. Presented by M. Claussen.

4. COTYLE.

Cotile *Boie*, *Isis*, (1822) p. 550.
Biblis *Less. Compl. Buff.* viii. p. 495. (1837).

1. Cotyle riparia. The Sand-martin Swallow.

Cotile riparia *Boie*, *Isis*, (1822) p. 550.; *Brehm*, *Vög. Deuts.* i. p. 143.
Hirundo riparia *Linn. S. N.* i. p. 344.
Cotyle fluviatilis *Brehm*, *Vög. Deuts.* i. p. 142. t. x. f. 5.
Cotyle microrhynchos *Brehm*, *Vög. Deuts.* i. p. 143.
Pl. enl. 543. f. 2.; *Gould*, *B. of Eur.* pl. 58.; *Wils. Amer. Orn.* pl. 34. f. 4.; *Audub. B. of Amer.* pl. 385. f. 1—3.

a. Wiltshire. From Col. Montagu's Collection.
b. Persia. From Mr. Warwick's Collection.
c. ? Mexico. From Mr. Leadbeater's Collection.
d. ? Philippine Islands. From Mr. Cuming's Collection.
e. ? Nepal. Presented by B. H. Hodgson, Esq.

2. Cotyle rupestris. The Crag Swallow.

Hirundo rupestris *Gmel. S. N.* i. p. 1019.
Cotyle rupestris *Boie*, *Isis*, (1826) p. 971.; *Brehm*, *Vög. Deuts.* i. p. 144.
Chelidon rupestris *Boie*, *Isis*, (1822) p. 550.
Hirundo (Biblis) rupestris *Less. Compl. Buff.* viii. p. 495.
Hirundo montana *Gmel. S. N.* i. p. 1020.
Hirundo rupicola *Hodgs. Journ. A. S. B.* (1836) p. 781.
Hirundo inornata *Jerd. Madr. Lit. & Sci.* (1841) p. 201.
Gould, *B. of Eur.* pl. 56.; *Hodgs. Icon. ined. Pass.* 7. 101. f. 9 a.

a. Piedmont, adult. Presented by M. Bonelli.
b. Italy, young. From Mr. Argent's Collection.
c. Egypt. Presented by W. B. D. Turnbull, Esq.
d, *e.* Nepal. Presented by B. H. Hodgson, Esq.
f, *g.* India. Presented by J. R. Reeves, Esq.

3. Cotyle fuligula. The African Crag Swallow.

Cotyle fuligula *G. R. Gray*, *Gen. of B.* i. p. .
Hirundo fuligula *Licht. Forst. Descr. Anim.* p. 55.
Hirundo rupestris, juv. *Temm. Man. d'Orn.* (1820) p. 431.
Hirundo torquata (*Gmel.*) ? *Steph. Gen. Zool.* x. p. 124.
Cecropis torquata *Boie*, *Isis*, (1828) p. 316.

Cotyle paludibula *Rüpp. Syst. Uebers. Vög.* p. 22.
Levaill. Ois. d'Afr. t. 246. f. 1.

a. Cape of Good Hope. From Mr. Baker's Collection.
b. Abyssinia. Presented by the Hon. East India Company.

4. Cotyle sinensis. The small Crag Swallow.

Hirundo sinensis *Gray*, *Ill. Ind. Zool.* pl. 35. f. 3.
Hirundo brevicaudata *Mc Clell & Horsf. Proc. Zool. Soc.* (1839) p. 159.
Cotyle brevicaudata *Boie*, *Isis*, (1844) p. 170.
Hirundo subsoccata *Hodgs. Gray*, *Zool. Misc.* p. 82.
Hirundo minuta *Hodgs. Gray*, *Zool. Misc.* p. 82.
Hodgs. Icon. ined. Pass. 9. f. 1, 2. 101. f. 1, 2.

a—c. Nepal. Presented by B. H. Hodgson, Esq.
d. Madras. Presented by T. C. Jerdon, Esq.

5. Cotyle concolor. The brown Crag Swallow.

Hirundo concolor *Sykes*, *Proc. Zool. Soc.* (1831) p. 83.
Cotyle concolor *Boie*, *Isis*, (1844) p. 170.
Hirundo (Biblis) concolor *Less. Compl. Buff.* viii. p. 495.

a. Madras. Presented by T. C. Jerdon, Esq.
b, *c.* Behar. Presented by B. H. Hodgson, Esq.

6. Cotyle cincta. The brown-collared Swallow.

Hirundo cincta *Bodd. Tabl. des Pl. enl. d'Aub.* p. 45.
Hirundo torquata *Gmel. S. N.* i. p. 1022.
Cotyle cincta *G. R. Gray*, *Gen. of B.* i. p. .
Cotyle torquata *Boie*, *Isis*, (1844) p. 170.
Pl. enl. 723. f. 1.

a. Cape of Good Hope, young. From Mr. Baker's Collection.
b. Abyssinia, adult. From the Frankfort Museum.
c. Abyssinia. From Mr. Leadbeater's Collection.

7. Cotyle fucata. The sooty Crag Swallow.

Hirundo fucata *Temm. Pl. col.* 161. f. 1.
Cotyle fucata *Boie*, *Isis*, (1826) p. 971.
Hirundo (Herse) fucata *Less. Compl. Buff.* viii. p. 498.

a. Brazil. From Mr. Leadbeater's Collection.

8. Cotyle flavigastra. The Garden Swallow.

Hirundo flavigastra *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 534.
Hirundo jugularis *Pr. Max. Beitr.* (1831) ii. p. 365.
Hirundo (Herse) jugularis *Less. Compl. Buff.* viii. p. 498.

Hirundo hortensis *Frey*, *Licht. Cat. Dupl. Berl. Mus.* p. 57.
Cotyle flavigastra *Boie*, *Isis*, (1844) p. 170.
Cotyle jugularis *G. R. Gray*, *Gen. of B.* i. p. .
Azara, No. 306.; *Pl. col.* 161. f. 2.

a. Bahia. From the Sudbury Museum.
b. Brazil. Presented by M. Claussen.
c. Caraccas. From Mr. Dyson's Collection.

5. CHELIDON.

Chelidon *Boie*, *Isis*, (1822) p. 550.

1. Chelidon urbica. The Martin Swallow.

Hirundo urbica *Linn. S. N.* i. p. 344.
Chelidon urbica *Boie*, *Isis*, (1822) p. 550.; *Brehm*, *Vög. Deuts.* i. p. 139. t. x. f. 4.
Hirundo lagopoda *Pall. Zoogr.* i. p. 532.
Chelidon fenestrarum *Brehm*, *Vög. Deuts.* i. p. 140.
Chelidon rupestris *Brehm*, *Vög. Deuts.* i. p. 140.
Pl. enl. 542. f. 2.; *Gould*, *B. of Eur.* pl. 57.

a. Cambridgeshire. Presented by Mr. I. Baker.
b. Cambridgeshire.
c. Devonshire. From Col. Montagu's Collection.
d. India.? Presented by J. R. Reeves, Esq.
e. Devonshire, var. white. From Col. Montagu's Collection.

Fam. III. CORACIADÆ.

i. *Coracianæ.*

1. EURYSTOMUS.

Eurystomus *Vieill. Analyse*, p. 37. (1816).
Colaris *Cuv. Règ. An.* (1817) i. p. 401.

1. Eurystomus orientalis. The Oriental Roller.

Coracias orientalis *Linn. S. N.* i. p. 159.
Eurystomus orientalis *Steph. Gen. Zool.* xiii. p. 99.
Colaris orientalis *Cuv. Règ. Anim.* (1817) i. p. 401.

Eurystomus fuscicapillus *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 426.
Eurystomus cyanicollis *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 425.
Eurystomus calornyx *Hodgs.*
Pl. enl. 619.; *Levaill. Ois. de Parad.* t. 36.; *Gal. des Ois.* t. 111.; *Hardw. Icon. ined.* 10980. 82.; *Hodgs. Icon. ined. Pass.* 10. f. 1, 2.: 11. f. 1, 2.

a. India. Presented by M.-Gen. T. Hardwicke.
b. India. Presented by W. Elliott, Esq.
c, d. Nepal. Presented by B. H. Hodgson, Esq.
e, f. Nepal, young. Presented by B. H. Hodgson, Esq.
g. Tenasserim. Presented by J. D. C. Packman, Esq. M.D.
h. ——? Presented by Capt. Sir E. Belcher, C.B. R.N.
i. Sternum, Nepal. Presented by B. H. Hodgson, Esq.
k. Skeleton. From M. Frank's Collection.

2. Eurystomus ————? The ————? Roller.

a, b. Northern parts of China. From Mr. Fortune's Collection.

3. Eurystomus pacificus. The Australian Roller.

Coracias pacifica *Lath. Ind. Orn. Suppl.* p. xxvii.; *Lamb. Icon. ined.* ii. 83.
Eurystomus pacificus *G. R. Gray, Ann. Nat. Hist* (1843) p. 190.
Eurystomus orientalis *Vig. & Horsf. Linn. Trans.* xv. p 202.
Eurystomus australis *Swains. Two Cent. and a Quart.* p. 326. f. 68. a.
Coracias [Galgulus] pacifica *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 435.
Galgulus pacificus *Vieill. Encyc. Méth.* p. 870.
Gould, B. of Austr. ii. pl. 17.

a. Port Bowen, Australia. Presented by J. B. Jukes, Esq.
b. North-western Australia. Presented by Lt. Col. Sir T. L. Mitchell.
c—e. Australia, adults and young. From Mr. Warwick's Collection.

4. Eurystomus afer. The African Roller.

Coracias afra *Lath. Ind. Orn.* i. p. 172.
Eurystomus afer *Steph. Gen. Zool.* xiii. p. 97.
Eurystomus purpurascens *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 427
Eurystomus rubescens *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 426.
Colaris afra *Cuv. Règ. Anim.* (1817) i. p. 401.
Shaw, Nat. Misc. pl. 401.; *Levaill. Ois. de Parad.* t. 35.

a. Africa. Presented by M.-Gen. T. Hardwicke.
b, c. Western Africa. Presented by Col. Sabine, R.A.

5. EURYSTOMUS GULARIS. The blue-throated Roller.

Eurystomus gularis *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 426.
Colaris gularis *Wagl. Syst. Av.* (sp. 3.)
Levaill. Ois. de Parad. t. 56.

a. New Guinea. From the Leyden Museum.

2. CORACIAS.

Coracias *Linn. S. N.* (1735).
Galgulus *Briss. Orn.* ii. p. 63. (1760).

1. CORACIAS GARRULA. The garrulous Roller.

Coracias garrula *Linn. S. N.* i. p. 159.; *Yarrell, Brit. Birds*, ii. p. 211.; *Brehm, Vög. Deuts.* i. p. 160. t. xi. f. 5.
Galgulus garrulus *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 428.
Coracias germanicus *Brehm, Vög. Deuts.* i. p. 158.
Coracias planiceps *Brehm, Vög. Deuts.* i. p. 159.
Pl. enl. 486.; *Levaill. Ois. de Parad.* t. 32, 33.; *Gould, B. of Eur.* pl. 60.

a. Great Britain.
b, c. Athens. Presented by C. L. W. Merlin, Esq.
d.———?

2. CORACIAS TEMMINCKII. Temminck's Roller.

Coracias Temminckii *Wagl. Syst. Av.* (sp. 5.)
Garrulus [Galgulus] Temminckii *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 435.
Galgulus Temminckii *Vieill. Encyc. Méth.* p. 869.
Coracias papuensis *Quoy & Gaim. Voy. de l'Astrol. Ois.* t. 16.
Levaill. Ois. de Parad. t. 6.

a. Celebes. From the Leyden Museum.

✓ 3. CORACIAS INDICA. The Indian Roller.

Coracias indica *Linn. S. N.* i. p. 159.
✓ Coracias bengalensis *Linn. S. N.* i. p.; *Cuv. Règ. Anim.* (1817) i. p. 401.
Garrulus [Galgulus] nævius *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 431.
✓ Galgulus nævius *Vieill. Encyc. Méth.* p. 868.
Coracias nævia *Wagl. Syst. Av.* (sp. 3.)
Coracias affinis *M'Clell. Proc. Zool. Soc.* (1839) p. 164.
Edwards's Birds, pl. 326.; *Pl. enl.* 285.; *Levaill. Ois. de Parad.* t. 27.; *Hardw. Icon. ined.* 10980. 82.; *Hodgs. Icon. ined. Pass.*

10. f. 1, 2 : 11. f. 1, 2.; *G. R. Gray and Mitchell, Gen. of B.* pl. 21.

a, b. India. Presented by M.-Gen. Hardwicke.
c. India.
d—i. Nepal. Presented by B. H. Hodgson, Esq.
j. Himalayah Mountains. Presented by J. Reeves, Esq.
k, l. Behar. Presented by B. H. Hodgson, Esq.
m. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

4. Coracias pilosa. The hairy Roller.

Coracias pilosa *Lath. Ind. Orn. Suppl.* p. xxxii.
Coracias crinita *Shaw, Gen. Zool.* vii. p. 401.
Coracias [Galgulus] pilosa *Vieill. Dict. d'Hist. Nat.* xxxix. p. 430.
Galgulus pilosus *Vieill. Encyc. Méth.* p. 867.
Coracias nuchalis *Swains. B. W. Afr.* ii. p. 110.
Coracias Levaillantii *Rüpp.*
Levaill. Ois. de Parad. t. 28, 29.

a. Africa. Presented by J. Gould, Esq.
b. Western Africa.
c. Northern Africa, young. Presented by the Hon. East India Company.

5. Coracias caudata. The long-tailed Roller.

Coracias caudata *Linn. S. N.* i. p. 160.
Coracias abyssinica *Gmel. S. N.* i. p. 379.; *Cuv. Règ. Anim.* (1817) i. p. 401.
Coracias senegalensis *Gmel. S. N.* i. p. 379.
Coracias senegala *Lath. Ind. Orn.* i. p. 169.
Coracias albifrons *Shaw, Gen. Zool.* vii. p. 392.
Coracias angolensis *Shaw, Gen. Zool.* vii. p. 394. pl. 51.
Galgulus caudatus *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 433.
Pl. enl. 88. 626.; *Levaill. Ois. de Parad.* t. 25.; *Edwards's Birds*, pl. 327.

a, b. Africa.
c. Northern Africa. Presented by the Hon. East India Company.

6. Coracias cyanogaster. The blue-bellied Roller.

Coracias cyanogaster *Cuv. Règ. Anim.* (1817) i. p. 401.
Garrulus [Galgulus] cyanogaster *Vieill. N. Dict. d'Hist. Nat.* xxix. p. 436.

Galgulus cyanogaster *Vieill. Encyc. Méth.* p. 870.
Levaill. Ois. de Parad. t. 26.; *Jard. and Selby, Ill. Orn.* pl. 123.; *Swains. B. of W. Afr.* ii. pl. 13.

a. Gambia. From Mr. Rendall's Collection.
b. West Africa. From Mr. Warwick's Collection.

3. BRACHYPTERACIAS.

Brachypteracias *Lafr. Mag. Zool.* (1834) p.
Chloropygia *Swains. Classif. of B.* ii. p. 333. (1837).
Atelornis *Lafr. Rev. Zool.* (1846) p. 200.

a. *BRACHYPTERACIAS.*

1. BRACHYPTERACIAS LEPTOSOMUS. The Madagascar Brachypteracias.

Colaris leptosomus *Less. Illustr. de Zool.* t. 20.
Brachypteracias leptosomus *Lafr. Mag. de Zool.* (1834) *Ois.* t. 31.
Chloropygia leptosomus *Swains. Classif. of B.* ii. p. 333.

a. Madagascar. From M. Verreaux' Collection.

b. *ATELORNIS.*

2. BRACHYPTERACIAS PITTOÏDES The Pitta-like Brachypteracias.

Brachypteracias pittoides *Lafr. Mag. de Zool.* (1834) t. 32.
Atelornis pittoides *Pucher, Rev. Zool.* (1846) p. 200.

a. Madagascar, young? From M. Verreaux' Collection.

ii. *TODINÆ.*

1. TODUS.

Todus *Briss. Orn.* iv. p. 528. (1760); *Linn. S. N.* (1766).

1. TODUS VIRIDIS. The green Tody.

Todus viridis *Linn. S. N.* i. p. 178.
Sloane, Jam. pl. 263. f. i.; *Vieill. Ois. d'Amér.* t. 56.; *Swains. Zool. Ill.* n. s. pl. 96.

a. ————? From Baron Laugier's Collection.
b. Jamaica. From Mr. Leadbeater's Collection.

2. Todus multicolor. The many-coloured Tody.

Todus multicolor *Gould, Icones Avium*, pl.
Todus portoriensis *Less. Ann. des Sci. Nat.* (1838) p. 167.
Todus viridis *Vigors, Zool. Journ.* ii. p. 426.
Voy. de l'Ile de Cuba, Ois. t. 22.

a. ———— ? From Baron Laugier's Collection.

3. Todus mexicanus. The Mexican Tody.

Todus mexicanus *Less. Ann. des Sci.* (1838) p. 167.
Todus viridis *Vieill.*
Atlas de Dict. Sci. Nat. t. 32. f. 1.

a. South America. From Mr. Turner's Collection.

iii. *Eurylaiminæ.*

1. EURYLAIMUS.

Eurylaimus *Horsf. Linn. Trans.* xiii. p. 170. (1820).
Platyrhynchus *Vieill. Gal. des Ois.* (1825).
Corydon *Less. Man. d'Orn.* (1828) i. p. 177.
Serilophus *Swains. Classif. of B.* ii. p. 262. (1837).
Ráya *Hodgs. Journ. A. S. B.* (1839) p. 35.
Simus *Hodgs. Journ. A. S. B.* (1841) p. 27.
Simornis *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Psarisomus *Swains. Classif. of. B.* ii. p. 261. (1837).
Crossodera *Gould, Icon. Av.* (1837).

a. *Eurylaimus.*

1. Eurylaimus javanicus. The Javan Tody.

Eurylaimus javanicus *Horsf. Linn. Trans.* xiii. p. 170.
Eurylaimus Horsfieldii *Temm. Pl. col.* 130, 131.
Horsf. Zool. Res. pl. 5.; *Gal. des Ois.* t. 125.; *Swains. Nat. Libr. Flyc.* x. pl. 30.

a. Java. Presented by J. Inskipp, Esq.
b. Java. Presented by J. Nightingale, Esq.
c. Java, young. From Mr. Warwick's Collection.

2. Eurylaimus ochromalus. The collared Eurylaimus.

Eurylaimus ochromalus *Raffl. Linn. Trans.* xiii. p. 297.
Eurylaimus cucullatus *Temm. Pl. col.* 261.
Eurylaimus Rafflesii *Less. Compl. Buff.* viii. p. 463.

a. Indian Archipelago. From Mr. Turner's Collection.
b, c. Indian Archipelago. Presented by J. Nightingale, Esq.
d. Java. From Mr. Warwick's Collection.

b. *CORYDON.*

3. EURYLAIMUS SUMATRANUS. The Sumatran Eurylaimus.

Coracias sumatranus *Raffl. Linn. Trans.* xiii. p. 303.
Eurylaimus sumatranus *Vigors, Mem. Raffl. App.* 653.
Eurylaimus corydon *Temm. Pl. col.* 297.
Corydon Temminckii *Less. Man. d'Orn.* i. p. 177.
Corydon sumatranus *Strickl. Ann. and Mag. Nat. Hist.* vi. p. 418.

a, b. Indian Archipelago. From Mr. Tucker's Collection.
c. Indian Archipelago, young. From Mr. Turner's Collection.
d. Indian Archipelago, young. From Mr. Cuming's Collection.

c. *PSARISOMUS.*

4. EURYLAIMUS DALHOUSIÆ. Lady Dalhousie's Eurylaimus.

Eurylaimus Dalhousiæ *James. New Phil. Journ.* xviii. p. 261.
Eurylaimus psittacinus *Müll. Pl. col.* 598.
Ráya sericeogula *Hodgs. Journ. A. S. B.* (1839) p. 36.
Ráya nipalensis *Hodgs.*
Simornis (Ráya) sericeogula *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Psarisomus Dalhousiæ *Swains. Classif. of B.* ii. p. 261.
Crossodera Dalhousiæ *Gould, Icones Avium.*
Royle, Ill. Bot. pl. 7. f. 2.; *Gould, Icones Avium*, pl.; *Hodgs. Icones ined. Pass.* 13. v. 37. f. 5.

a. Himalayah Mountains.
b, c. Nepal. Presented by B. H. Hodgson. Esq.
d. Indian Archipelago. Presented by the Hon. East India Company.
e. Sternum. Presented by B. H. Hodgson, Esq.

d. *SERILOPHUS.*

5. EURYLAIMUS LUNATUS. The frilled Eurylaimus.

Eurylaimus lunatus *Gould, Trans. Zool. Soc.* i. p. 176. pl. 25.
Serilophus lunulatus *Swains. Classif. of B.* ii. p. 262.

a. Indian Archipelago. From the Leyden Museum.

6. EURYLAIMUS RUBROPYGIUS. The red-backed Eurylaimus.

Ráya rubropygia *Hodgs. Journ. A. S. B.* (1839) p. 36.
Simornis rubropygia *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Serilophus rubropygius *Hodgs. Cat. Mam. and Birds of Nepal*, p. 56. *App.* p. 150.
Eurylaimus rubropygius *G. R. Gray, of Gen. B.* i. p. .
Hodgs. Icon. ined. Pass. v. 37. f. 4.; *G. R. Gray and Mitch. Gen. of B.* pl. 23.

a—c. Nepal. Presented by B. H. Hodgson, Esq.
d. Sternum. Presented by B. H. Hodgson, Esq.

2. CYMBIRHYNCHUS.

Cymbirhynchus *Vigors, App. to Mem. of Raffl.* p. 654. (1831).

1. CYMBIRHYNCHUS MACRORHYNCHUS. The great-billed Tody.

Todus macrorhynchos *Gmel. S. N.* i. p. 446.
Cymbirhynchus macrorhynchus *G. R. Gray, Gen. of B.* i. p.
Todus nasutus *Lath. Ind. Orn.* p. 268.
Cymbirhynchus nasutus *Vigors, App. Mem. of Raffl.* p. 654.; *Journ. A. S. B.* (1846) p. 311.
Platyrhynchus nasutus *Desm.*
Eurylaimus nasutus *Temm. Pl. col.* 154.
Eurylaimus lemniscatus *Raffl. Linn. Trans.* xiii. p. 296.
Erolla nasica *Less. Tr. d'Orn.* p. 260.
Cymbirhynchus affinis *Blyth, Journ. A. S. B.* (1846) p. 312.? *Lath. Gen. Syn.* pl. 30.

a, b. Indian Archipelago. Presented by M.-Gen. Hardwicke.
c. Indian Archipelago. Presented by the Earl of Derby.
d. Indian Archipelago.
e. Indian Archipelago, very young. From M. Verreaux' Collection.
f—h. Tenasserim Coast. Presented by J. D. C. Packman, Esq., M. D.
i. Skeleton. From M. Frank's Collection.

iv. *MOMOTINÆ.*

1. MOMOTUS.

Momotus, *Briss. Orn.* iv. p. 465. (1760).
Prionites *Ill. Prod. Mam. et Av.* (1811).

Baryphonus *Vieill. Analyse*, p. 48. (1816).
Crypticus *Swains. Classif. of B.* ii. p. 338. (1837).
Hylomanes *Licht. Abhandl. Akad. zu Berl.* (1838).

a. *Momotus.*

1. Momotus brasiliensis. The Brasilian Motmot.

Momotus brasiliensis *Lath. Ind. Orn.* p. 140.
Ramphastos momota *Linn. S. N.* i. p. 152.
Baryphonus cyanocephalus *Vieill. N. Dict. d'Hist. Nat.* xxi. p. 315.
Prionites momota *Ill. Prod. Mam. et Av.* p. 224.; *Pl. enl.* 370.

a. South America. Presented by M. Gen. Hardwicke.
b. South America. From Mr. Gould's Collection.
c.? Demerara. From Mr. I. Baker's Collection.

2. Momotus bahamensis. The Bahama Motmot.

Prionites bahamensis *Swains. Two Cent. and a Quart.* p. 332.
Momotus bahamensis *G. R. Gray, Gen. of B.* i. p. .
Jard. and Selby, Ill. Orn. n. s. pl. 45.

a. Trinidad. Presented by Major Finch.
b, c. ———?

3. Momotus ———? The ——— Motmot.

a. South America. Presented by J. Murray, Esq.
b. Mexico? From Mr. Gould's collection.

4. Momotus cæruliceps. The blue-headed Motmot.

Prionites cæruliceps *Gould, Proc. Z. S.* (1836) p. 18.
Momotus cæruliceps *G. R. Gray, Gen. of B.* i. p. .
Prionites cæruleocephalus *Jard. & Selby, Ill. Orn.* n. s. pl. 42

a. Mexico. From Mr. Leadbeater's Collection.
b. Mexico. From Mr. Argent's Collection.

5. Momotus Levaillantii. Levaillant's Motmot.

Momotus Levaillantii *Less. Man. d'Orn.* p. 104.
Baryphonus ruficapillus *Vieill. Gal. des Ois.* t. 190.
Levaill. Hist. Nat. Prom. Suppl. t. B.

a. South America. Presented by M.-Gen. Hardwicke.
b. South America.

6. Momotus mexicanus. The Mexican Motmot.

Momotus mexicanus *Swains. Ann. Phil.* (1827) p. 442.; *Zool. Illustr.* n. s. pl. 81.
Momotus Martii *Jard. & Selby, Ill. Orn.* pl. 23.

a. Mexico. Presented by Capt. Sir E. Belcher, C.B., R.N.

b. *Hylomanes.*

7. Momotus superciliaris. The azure-browed Motmot.

Prionites (Crypticus) superciliaris *Sandb. Jard. and Selby, Illustr. of Orn.* n. s pl. 18.
Crypticus superciliosus *Swains. Two Cent. and a Quart.* p. 358.
Crypticus apiaster *Less. Rev. Zool.* (1842) p. 174.
Momotus superciliaris *G. R. Gray, Gen. of B.* i. p. .

a. Bay of Campeachy. From Mr. Turner's Collection.
b. Bay of Campeachy.

8. Momotus momotula. The white-browed Motmot.

Hylomanes momotula *Licht. Abhandl. Akad. zu Berl.* (1838) p. 444. t. 4.
Momotus momotula *G. R. Gray, Gen. of B.* i. p. .
G. R. Gray and Mitch. Gen. of B. pl. 24.

a. Mexico. From Mr. Leadbeater's Collection.

Fam. IV. TROGONIDÆ.

i. *Trogoninæ.*

1. TROGON.

Trogon *Mœhr. Gen. Av.* p. 85. (1752); *Linn. S. N.* (1766).

1. Trogon Massena. Prince Massena's Trogon.

Trogon Massena *Gould, Monogr. Trog.* pl. 16.

a, b. Honduras. From Mr. Dyson's Collection.
c. Mexico. Presented by E. Wilson, Esq.

2. TROGON MELANURUS. The black-tailed Trogon.

Trogon curucui *Linn. S. N.* i. p. 167. ?
Trogon melanurus *Swains. Two Cent. and a Quart.* p. 329.
Gould, Monogr. Trog. pl. 18.; *Levaill. Hist. Nat. Courc.* t. 1. 2.; *Pl. enl.* 452. 737.

a. Demerara.
b. Para. Presented by R. Graham, Esq.

3. TROGON MACROURA. The large-tailed Trogon.

Trogon macroura *Gould, Monogr. Trog.* pl. 17.

a. South America, male.
b. South America, female.

4. TROGON SURUCURA. The Surucura Trogon.

Trogon surucura *Vieill. N. Dict. d'Hist. Nat.* p.
Gould, Monogr. Trog. pl. 15.; *Azara*, No. 270.

a. South America. Presented by M.-Gen. T. Hardwicke.

5. TROGON COLLARIS. The collared Trogon.

Trogon collaris *Vieill. N. Dict. Hist. Nat.* viii. p. 320.; *Gould, Monogr. Trog.* pl. 5.
Trogon rosalba *Cuv.*
Trogon auratus *Swains. Two Cent. and a Quart.* p. 329.
Levaill. Hist. Nat. Courc. t. 6.

a. Caraccas, female. From Mr. Dyson's Collection.
b. Mexico, male. From Mr. Argent's Collection.
c. Mexico, male. From Mr. Leadbeater's Collection.
d. Mexico, male. Presented by J. Gould, Esq.
e. Demerara, male.
f. South America, female. Presented by J. Gould, Esq.

6. TROGON MEXICANUS. The Mexican Trogon.

Trogon mexicanus *Swains. Ann. Phil.* (1827) p. 440.
Trogon glocitans *Licht.*
Swains. Zool. Illustr. n. s. pl. 82, 83.; *Gould, Monogr. Trog.* pl. 1, 2.

a. Mexico. Presented by Sir E. Belcher, C.B. R.N.
b, c. Mexico. From Mr. Mann's Collection.
d. Mexico, male. From Mr. Mann's Collection.
e. Mexico.
f. Mexico, male. Presented by John Taylor, Esq.
g. Mexico, young male. Presented by John Taylor, Esq.

7. Trogon aurantius. The orange-breasted Trogon.

Trogon aurantius *Spix, Av. Bras.* t. 36.
Gould, Monogr. Trog. pl. 14.

a. Brazil. Presented by M. Claussen.
b. Brazil, male. Presented by J. Gould, Esq.
c. Brazil, female. From Baron Laugier's Collection.

8. Trogon viridis. The yellow-bellied Trogon.

Trogon viridis *Linn. S. N.* p. 1. 167.
Trogon violaceus *Gmel. S. N.* i. p. 1. 404.
Trogon strigilatus *Gmel. S. N.* i. p. 1. 167.
Trogon melanopterus *Swains. Two Cent. and a Quart.* p.
Gould, Monogr. of Trog. pl. 10, 11.; *Pl. enl.* 765, 766.;
Levaill. Hist. Nat. Courc. t. 3, 4.

a. Brazil, male.
b. Demerara, female.
c. Demerara, young male?

9. Trogon melanocephalus. The black-headed Trogon.

Trogon melanocephala *Gould, Monogr. Trog.* pl. 12.

a. Honduras, male. From Mr. Dyson's Collection.
b. Honduras, female. From Mr. Dyson's Collection.
c. Mexico. Presented by Capt. Sir E. Belcher, C.B. R.N.

10. Trogon sulphureus. The little Trogon.

Trogon sulphureus *Spix, Av. Bras.* t. 38.
Trogon meridionalis *Swains. Two Cent. and a Quart.* p. 332.
Gould, Monogr. Trog. pl. 9.

a. South America. Presented by M.-Gen. T. Hardwicke.

11. Trogon rufus. The rufous Trogon.

Trogon rufus *Gmel. S. N.* i. p. 404.; *Pl. enl.* 736.
Trogon lepturus *Swains. Two Cent. and a Quart.* p. 331.; *Pl. enl.* 195.
Trogon atricollis *Gould, Monogr. Trog.* pl. 8.
Levaill. Hist. Nat. Courc. t. 9.; *Lath. Gen. Syn.* pl. 21.

a. South America. From Baron Laugier's Collection.

12. Trogon caligatus. The booted Trogon.

Trogon caligatus *Gould*, *Monogr. Trog.* pl. 7.

a. South America, female. From Baron Laugier's Collection.
b. Mexico, male. From Mr. Leadbeater's Collection.
c. Mexico, female. From Mr. Leadbeater's Collection.
d. Mexico, male. From Mr. Argent's Collection.

13. Trogon elegans. The graceful Trogon.

Trogon elegans *Gould*, *Proc. Zool. Soc.* (1834) p. 26.
Monogr. Trog. pl. 3.

a. Guatimala, young male. From Mr. Leadbeater's Collection.
b. South America, young male. From Baron Laugier's Collection.
c. Mexico, female. From Mr. Leadbeater's Collection.
d. Mexico, female. From Mr. Leadbeater's Collection.

2. APALODERMA.

Apaloderma *Swains. Classif. of B.* ii. p. 337. (1837).

1. Apaloderma narina. The Narina Trogon.

Trogon narina *Vieill. N. Dict. d'Hist. Nat.* viii. p. 318.
Apaloderma narina *Swains. Classif. of B.* ii. p. 337.
Trogon (Apaloderma) narina *Gould*, *Monogr. of Trog.* pl. 26.
Levaill. Ois. d'Afr. t. 228, 229.; *Levaill. Hist. Nat. Courc.* t. 10. 11.

a. South Africa, male. From M. Verreaux' Collection.
b. South Africa, female. From M. Verreaux' Collection.

3. PRIOTELUS.

Priotelus *G. R. Gray*, *List of Gen. of B.* (1840) p. 337.
Temnurus *Swains. Classif. of B.* ii. p. 337. (1837).

1. Priotelus temnurus. The Cuba Trogon.

Trogon temnurus *Temm. Pl. col.* 326.
Temnurus albicollis *Swains. Classif. of B.* ii. p. 337.
Trogon (Temnurus) albicollis *Gould*, *Monogr. Trog.* pl. 19.
Priotelus temnurus *G. R. Gray*, *List Gen. of B.* (1840) p. 10.

a. Havannah. From Baron Laugier's Collection.
b. Cuba. From Mr. Leadbeater's Collection.

4. HARPACTES.

Harpactes *Swains. Classif. of B.* ii. p. 337. (1837).

1. Harpactes rutilus. Duvaucel's Trogon.

Harpactes rutilus *G. R. Gray, Gen. of B.* i. p.
Trogon rutilus *Vieill. N. Dict. d'Hist. Nat.* viii. p. 313.
Trogon cinnamomeus *Temm. Monogr. Trogon, Pl. col.*
Trogon Duvaucelii *Temm. Pl. col.* 291.
Harpactes Duvaucelii *Swains. Classif. of B.* ii. p. 337.
Trogon (Harpactes) Duvaucelii *Gould, Monogr. Trog.* pl. 32.
Levaill. Hist. Nat. Cour. t. 14.

a, b. Indian Archipelago. From Baron Laugier's Collection.
c. Indian Archipelago. From Mr. Turner's Collection.
d. Indian Archipelago. Presented by J. Gould, Esq.
e. Malacca. Presented by the Earl of Ellenborough.

2. Harpactes Diardii. Diard's Trogon.

Harpactes Diardii *Swains. Classif. of B.* ii. p. 337.
Trogon Diardii *Temm. Pl. col.* 541.
Trogon (Harpactes) Diardii *Gould, Monogr. of Trog.* pl. 30.

a, b. Sumatra. From Baron Laugier's Collection.
c. Indian Archipelago. From Mr. Turner's Collection.
d. Indian Archipelago. Presented by J. Gould, Esq.

3. Harpactes malabaricus. The Malabar Trogon.

Trogon malabaricus *Gould, Proc. Z. S.* (1834) p. 26.
Harpactes malabaricus *Swains. Classif. of B.* ii. p. 337.
Trogon (Harpactes) malabaricus *Gould, Monogr. Trog.* pl. 31.

a. India. From Baron Laugier's Collection.

4. Harpactes ardens. The rosy-breasted Trogon.

Trogon ardens *Temm. Pl. col.* 404.
Trogon (Harpactes) ardens *Gould, Monogr. Trog.* pl. 35.

a. Mindanao. From Baron Laugier's Collection.
b, c. Philippine Islands. From Mr. Cuming's Collection.
d. Sumatra.

5. Harpactes Temminckii. Temminck's Trogon.

Trogon fasciatus *Temm. Pl. col.* 321.
Harpactes Temminckii *Swains. Classif. of B.* p. 337.

Trogon (Harpactes) Temminckii *Gould*, *Monogr. Trog.* pl. 29.
Trogon kasumba *Raffl. Linn. Trans.* xiii. p. 282.
Trogon flagrans *Kuhl*, *Tydsch. Nat. Gesch.* (1835) p. 336.

a, *b*. Indian Archipelago. From Mr. Leadbeater's Collection.

6. HARPACTES ERYTHROCEPHALUS. Hodgson's Trogon.

Trogon fasciatus var. A. *Lath.*
Trogon erythrocephalus *Gould*, *Proc. Zool. Soc.* (1834) p. 25.
Trogon (Harpactes) Hodgsoni *Gould*, *Monogr.* pl. 34.
Trogon (Harpactes) erythrocephalus *Swains. Classif. of B.* ii. p. 337.; *Gould*, *Monogr. Trog.* pl. 33.
Hodgson. Icon. ined. Pass. 14. v. 38.

a—h. Nepal, adult and young. Presented by B. H. Hodgson, Esq.
i, *j*. Sterna, Nepal. Presented by B. H. Hodgson, Esq.

7. HARPACTES ORESKIOS. The mountain Trogon.

Trogon oreskios *Temm. Pl. col.* 131.
Trogon (Harpactes) oreskios *Gould*, *Monogr. of Trog.* pl. 36.
Harpactes Gouldii *Swains. Classif. of B.* ii. p. 337.?

a, *b*. Borneo. From Baron Laugier's Collection.
c. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.

8. HARPACTES REINWARDTII. Reinwardt's Trogon.

Trogon Reinwardtii *Temm. Pl. col.* 124.
Apaloderma Reinwardtii *Swains. Classif. of B.* ii. p. 337.
Trogon (Apaloderma) Reinwardtii *Gould*, *Monogr. of Trog.* pl. 29.

a. Java. From Baron Laugier's Collection.
b. Java. Presented by J. Gould, Esq.
c. Java, young.
d. Skeleton. From M. Frank's Collection.

5. CALURUS.

Calurus *Swains. Classif. of B.* ii. p. 337. (1837).

1. CALURUS RESPLENDENS. The resplendent Trogon.

Trogon resplendens *Gould*, *Proc. Zool. Soc.* (1835) p. 29.
Trogon pavoninus *Temm. Pl. col.* 372.
Calurus resplendens *Swains. Classif. of B.* ii. p. 338.
Trogon paradiseus *Pr. Bonap.*

a, *b*. Central America. Presented by Signor Zebadua.
c. (Peru ?) Presented by M.-Gen. Hardwicke.
d. (Peru ?) female. From Mr. Gould's Collection.

2. CALURUS ANTISIANUS. The beautiful Trogon.

Trogon antisianus *D'Orb. Mag. de Zool.* (1837) *Ois.* t. 85.
Trogon (Calurus) pulchellus *Gould, Monogr. Trog.* pl. 22.
Trogon peruvianus *Gould, MSS.*

a. South America. Presented by E. Wilson, Esq.
b. Sta Fe de Bogota. From Mr. Leadbeater's Collection.
c. South America. From Mr. Gould's Collection.

3. CALURUS FULGIDUS. The black and white-tailed Trogon.

Trogon (Calurus) fulgidus *Gould, Monogr. Trog.* pl. 24.

a. South America, male. From Mr. I. Baker's Collection.
b. South America, female. From Mr. I. Baker's Collection.
c. South America, male. From Mr. Argent's Collection.
d. South America, female. From Mr. Argent's Collection.
e. Venezuela, male. From Mr. Dyson's Collection.
f. Venezuela, female. From Mr. Dyson's Collection.

4. CALURUS AURICEPS. The golden-headed Calurus.

Calurus auriceps *Gould.*
G. R. Gray and Mitch. Gen. of B. pl. 25.

a—*c*. Sta Fe de Bogota. From Mr. Leadbeater's Collection.
d. South America.

5. CALURUS NEOXENUS. The welcome Trogon.

Trogon (Calurus) neoxenus *Gould, Monogr. Trog.* pl. 25.

a. (Mexico ?) From Mr. Leadbeater's Collection.

Fam. V. ALCEDINIDÆ.

i. *BUCCONINÆ.*

1. BUCCO.

Bucco *Linn. S. N.* (1766).
Tamatia *Cuv. Règ. Anim.* (1817) i. p. 429.

Chaunornis *G. R. Gray*, *List of Gen. of B.* (1841) p. 13.
Nyctactes *Strickl. Ann. of Nat. Hist.* (1841) p. 418.
Capito *Temm. Anal. du Syst.* p. lxxvii. (1820).
Cyphos *Spix*, *Av. Bras.* i. p. 51. (1824).

1. Bucco collaris. The collared Barbet.

Bucco collaris *Lath. Ind. Orn.* i. p. 202.
Bucco capensis *Linn. S. N.* i. p. 168.
Tamatia collaris *Cuv. Règ. Anim.* (1817) p. 429.
Capito collaris *Temm. Anal. du Syst.* p. lxxvii.
Pl. enl. 395.; *Levaill. Ois. de Parad.* t. 42.

a. South America. From Mr. Warwick's Collection.

2. Bucco macrorhynchos. The greater pied Barbet.

Bucco macrorhynchos *Gmel. S. N.* i. p. 406.; *Vieill. N. Dict. d'Hist. Nat.* iii. p. 240.
Tamatia macrorhynchos *Cuv. Règ. Anim.* (1817) i. p. 429.
Capito macrorhynchos *Temm. Anal. du Syst.* p. lxxvii.
Cyphos macrorhynchos *Strickl. Ann. and Mag. Nat. Hist.* vi. p. 418.
Pl. enl. 689.; *Levaill. Ois. de Parad.* t. 39.

a. South America. From Mr. Warwick's Collection.
b. Honduras. From Mr. Dyson's Collection.

3. Bucco Swainsoni. Swainson's Barbet.

Bucco Swainsoni *G. R. Gray*, *Gen. of B.* p.
Tamatia macrorhynchus *Swains. Zool. Illustr.* pl. 99.

a, *b.* Brazil. Presented by Gen. T. Hardwicke.
c. Brazil. Presented by Lord Stuart de Rothesay.

4. Bucco pectoralis. The banded Barbet.

Bucco pectoralis *G. R. Gray & Mitch. Gen. of B.* pl. 26.

5. Bucco tectus. The lesser pied Barbet.

Bucco tectus *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 43.
Bucco melanoleucos *Gmel. S. N.* i. p. 406.; *Vieill. N. Dict. d'Hist. Nat.* iii. p. 241.
Tamatia melanoleucos *Cuv. Règ. An.* (1817) i. p. 429.
Capito melanoleucos *Wagl. Syst. Av.* (sp. 2.)
Pl. enl. 688. f. 2.; *Levaill. Ois. de Parad.* t. 40.

a. South America. From Mr. Leadbeater's Collection.

6. Bucco chacura. The black-eared Barbet.

Bucco chacura *Vieill. N. Dict. d'Hist. Nat.* iii. p. 239.
Capito chacura *Strickl. Ann. and Mag. Nat. Hist.* vi. p. 418.
Capito melanotis *Temm. Pl. col.* 94.; *Steph. Gen. Zool.* xiv. p. 156. pl. 18.
Bucco strigilatus *Licht. Cat. Dupl. Berl. Mus.* p. 8.
Tamatia melanotis *Cuv. Règ. Anim.* (1829) i. p. 458.

a, *b*. Brazil. Presented by Lord Stuart de Rothesay.
c. Brazil. Presented by M.-Gen. T. Hardwicke.

7. Bucco maculatus. The spotted Barbet.

Alcedo maculata *Gmel. S. N.* i. p. 451.
Bucco maculatus *G. R. Gray, Gen. of B.* i. p.
Bucco somnolentus *Licht. Cat. Dupl. Berl. Mus.* p. 8.
Capito maculatus *Temm. Anal. du Syst.* p. lxxvi.
Capito somnolentus *Swains. Classif. of B.* ii. p. 334.
Tamatia tamajac *Less. Tr. d'Orn.* p. 168.
Levaill. Ois. de Parad. Suppl. t. F.; *Swains. B. of Braz.* pl. 9.

a. Brazil.

8. Bucco tamatia. The spotted-bellied Barbet.

Bucco tamatia *Gmel. S. N.* i. p. 405.
Tamatia maculata *Cuv. Règ. Anim.* (1817) i. p. 429.
Chaunornis tamatia *G. R. Gray, List of Gen. of B.* (1841).
Capito tamatia *Steph. Gen. Zool.* xiv. p. 156.
Nyctactes tamatia *Strickl. Ann. and Mag. Nat. Hist.* vi. p. 418.
Pl. enl. 746. f. 1.; *Swains. Birds of Braz.* pl. 11.; *Levaill. Ois. de Parad.* t. 41.

a, *b*. South America.

9. Bucco bicinctus. The double-banded Barbet.

Tamatia bicincta *Gould, Proc. Z. S* (1836) p. 80.
Tamatia bitorquata *Swains. Two Cent. and a Quart.* p. 327.
Bucco bicinctus *G. R. Gray, Gen. of B.* i. p.

a. Venezuela. From Mr. Dyson's Collection.

2. MONASA.

Monasa *Vieill. Analyse. &c.* p. 27. (1816).
Lypornix *Wagl. Syst. Av.* (1827).
Scotocharis *Glog.* (1827).

Monastes *Nitzsch*, *Pterylogr.* p. 135. (1840).
Malacoptila *G. R. Gray*, *List of Gen. of B.* (1841) p. 13.
Barbacous (*Vieill.*) *Cuv. Règ. An.* (1817) i. p. 426.

1. Monasa atra. The wax-billed Barbet.

Cuculus ater *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 30.
Cuculus tranquillus *Gmel. S. N.* i. p. 417.
Bucco cinereus *Gmel. S. N.* i. p. 409.
Corvus australis *Gmel. S. N.* i. p. 377.
Bucco calcaratus *Lath. Ind. Orn.* i. p. 206.
Corvus affinis *Shaw*, *Gen. Zool.* vii. p. 381.
Monasa atra *G. R. Gray*, *Gen. of B.* i. p.
Monasa tranquilla *Vieill. N. Dict. d'Hist. Nat.* xxi. p. 321.
Lypornix tranquilla *Wagl. Syst. Av.* (sp. 1.).
Capito calcaratus *Temm. Anal. du Syst.* p. lxxvii.
Pl. enl. 512.; *Levaill. Ois. de Parad.* t. 44. 45.

a, *b*. South America.
c—*e*. British Guiana. Presented by Sir R. Schomburgk.

2. Monasa leucops. The white-faced Barbet.

Bucco leucops *Licht. Cat. Dupl. Berl. Mus.* p. 8.
Monasa leucops *Swains. Classif. of B.* ii. p. 334.
Bucco albifrons *Spix*, *Av. Bras.* t. 41. f. 1.
Monasa personata *Vieill. Gal. des Ois.* t. 36.
Capito leucops *Temm. Anal. du Syst.* p. lxxvii.
Lypornix leucops *Wagl. Syst. Av.* (sp. 3.).
Swains. B. of Braz. pl. 12.

a. South America.
b. South America. Presented by M.-Gen. T. Hardwicke.
c. Brazil. Presented by M. Claussen.

3. Monasa nigrifrons. The black-fronted Barbet.

Bucco nigrifrons *Spix*, *Av. Bras.* t. 43. f. 2.
Lypornix unicolor *Wagl. Syst. Av.* (sp. 2.).
Monasa nigrifrons *G. R. Gray*, *Gen. of B.* i. p.

a. Brazil. Presented by M. Claussen.

4. Monasa fusca. The white-breasted Barbet.

Monasa fusca *G. R. Gray*, *Gen. of B.* i. p. .
Bucco fuscus *Gmel. S. N.* i. p. 408.
Tamatia fusca *Less. Tr. d'Orn.* p 168.
Monastes fuscus *Nitzsch*, *Pterylogr.* p. 135.
Bucco torquatus *Hahn. Ausl. Vög.* heft 13. t. 5.

Bucco striatus *Spix*, *Av. Bras.* t. 40. f. 2.
Lypornix torquata *Wagl. Syst. Av.* (sp. 4.).
Lypornix striata *Swains. Classif. of B.* ii. p. 334.
Levaill. Ois. de Parad. t. 43.; *Swains. B. of Braz.* pl. 34.

a. Brazil.
b. Brazil. Presented by J. Gould, Esq.
c—f. Brazil. Presented by M. Claussen.

5. MONASA RUFA. The rufous Barbet.

Bucco rufus *Spix*, *Av. Bras.* t. 40. f. 1.
Lypornix rufa *Wagl. Syst. Av.* (sp. 5.).
Monasa rufa *G. R. Gray*, *Gen. of B.* i. p.

a. Brazil. From Mr. Leadbeater's Collection.

6. MONASA RUBECULA. The red-breasted Barbet.

Bucco rubecula *Spix*, *Av. Bras.* t. 39. f. 1.
Monasa rubecula *Less. Tr. d'Orn.* p. 157.
Monasa phaioleucos *Temm. Pl. col.* 323. f. 2.
Lypornix rubecula *Wagl. Syst. Av.* (sp. 6.).
Swains. B. of Braz. pl. 35.

a. Brazil. From Mr. Leadbeater's Collection.

3. CHELIDOPTERA.

Chelidoptera *Gould*, *Proc. Zool. Soc.* (1836) p. 81.
Brachypetes *Swains. Classif. of B.* ii. p. 334. (1837).

1. CHELIDOPTERA TENEBROSA. The white-backed Barbet.

Cuculus tenebrosus *Pall. n. nord Beytr.* iii. p. 3. t. i. f. 1.
Capito tenebrosus *Temm. Anal. du Syst.* p. lxxvii.
Chelidoptera tenebrosa *Gould*, *Proc. Z. S.* (1836) p. 81.
Brachypetes tenebrosa *Swains. Classif. of B.* ii. p. 334.
Lypornix tenebrosa *Wagl. Syst. Av.* (sp. 7.).
Monasa tenebrosa *Vieill. N. Dict. d'Hist. Nat.* xxi. p. 321.
Pl. enl. 505.; *Levaill. Ois. de Parad.* t. 46.; *Pl. col.* 323. f. 1.; *Swains. B. of Braz.* pl. 36.

a, *b.* British Guiana. Presented by Sir R. Schomburgk.
c. South America.
d. South America. Presented by J. Gould, Esq.
e. Brazil. Presented by M. Claussen.

ii. *HALCYONINÆ.*

1. DACELO.

Dacelo *Leach*, *Zool. Misc. with pl.* (1815).
Paralcyon *Gloger* (1827).
Choucalcyon *Less. Tr. d'Orn.* p. 248. (1831).
Melidora *Less. Tr. d'Orn.* p. 249. (1831).

1. DACELO GIGAS. The great brown Kingfisher.

Alcedo gigas *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 40.
Alcedo undulata *Scop. Del. Flor. et Faun. Insub.*
Alcedo fusca *Gmel. S. N.* i. p. 454.
Dacelo gigas *G. R. Gray*, *Gen. of B.* i. p. .
Alcedo gigantea *Lath. Ind. Orn.* p. 245.
Dacelo gigantea *Leach*, *Zool. Misc.* pl. 106.
Choucalcyon australe *Less. Tr. d'Orn.* p. 248.
Pl. enl. 663.; *Sonn. Voy.* t. 106.; *Gould*, *B. of Austr.* ii. pl. 18.

a. New Holland, young.
b. New Holland. Presented by R. Brown, Esq.
c. New Holland. Presented by M.-Gen. T. Hardwicke.
d. North-western Australia. Presented by Lt.-Col. Sir T. L. Mitchell.
e. South Australia, male. Presented by His Excellency Capt. Sir G. Grey.
f. South Australia, female. Presented by His Excellency Capt. Sir G. Grey.

2. DACELO LEACHII. Leach's Dacelo.

Dacelo Leachii (*Lath.*) *Linn. Trans.* xv. p. 205.
Gould, *B. of Austr.* ii. pl. 19.

a. Australia.

3. DACELO CERVINA. The buff Dacelo.

Dacelo cervina *Gould.*
Gould, *B. of Austr.* ii. pl. 20.

a. Gould's Island.
b. Port Essington, male.
c. Port Essington, young. Presented by the Earl of Derby.
d. Port Essington. Presented by Dr. Sibbald, R. N.
e. New Holland. Presented by the Linnean Society.
f—h. Port Essington. Presented by Capt. W. Chambers, R. N.

4. Dacelo Gaudichaudii. Gaudichaud's Kingfisher.

Alcedo Gaudichaudi *Quoy & Gaim. Voy. de l'Uranie*, *Ois.* t. 21.
Dacelo Gaudichaudi *G. R. Gray*, *Gen. of B.* i. p. .
Choucalcyon Gaudichaudi *Less. Tr. d'Orn.* p. 248.

a. New Guinea. From Baron Laugier's Collection.

5. Dacelo cyanotis. The blue-eared Dacelo.

Dacelo cyanotis *Temm. Pl. col.* 262.

a. Skeleton. From M. Brandt's Collection.

2. HALCYON.

Halcyon *Swains. Zool. Illustr.* (1821).
Entomothera *Horsf. Linn. Trans.* xiii. p. 173. (note) (1820).
Syma *Less. Zool. Voy. de la Coqu.* (1828).
Todiramphus *Less. Mém. de la Soc. d'Hist. Nat.* iii. p. 420. (1828).
Actenoïdes *Homb. & Jacq.* (1846?).
Entomophila *Leach*, *MSS.*

a. *Halcyon.*

1. Halcyon pulchella. The beautiful Kingfisher.

Dacelo pulchella *Horsf. Linn. Trans.* xiii. p. 175.
Halcyon pulchella *G. R. Gray*, *Gen. of B.* i. p. .
Dacelo buccoïdes *Temm. Pl. col.* 586.
Pl. col. 277.

a. Indian Archipelago, male. From Mr. Turner's Collection.
b. Indian Archipelago, female. From Mr. Turner's Collection.
c. Indian Archipelago, female. Presented by J. Nightingale, Esq.

2. Halcyon concreta. The Malayan Kingfisher.

Dacelo concreta *Temm. Pl. col.* 346.
Halcyon concreta *G. R. Gray*, *Gen. of B.* i. p. .

a. Indian Archipelago, adult. From Mr. Turner's Collection.
b. Malacca, young. From Mr. Cuming's Collection.
c. Malacca, adult. Presented by J. Nightingale, Esq.

3. Halcyon Lindsayi. Lindsay's Halcyon.

Dacelo Lindsayi *Vigors*, *Proc. Zool. Soc.* (1831) p. 97.
Halcyon Lindsayi *G. R. Gray*, *Gen. of B.* i. p.

Dacelo Lessoni *Vigors*, *Proc. Zool. Soc.* (1831) p. 97.
Voy. de la Bonite, *Ois.* t. 7.; *G. R. Gray and Mitch. Gen. of B.* pl. 27.

a. Cataguan. From Mr. Cuming's Collection.
b, *c.* Philippine Islands. From Mr. Cuming's Collection.

4. HALCYON MONACHA. The hooded Kingfisher.

Dacelo monacha *Temm.*
Halcyon monacha *G. R. Gray*, *Gen. of B.* i. p.

a. Ternate. From the Leyden Museum.

5. HALCYON SEMICÆRULEA. The red-bellied Kingfisher.

Alcedo semicærulea *Forsk.*
Alcedo senegalensis var. β et γ. *Lath. Ind. Orn.* i. p. 249.
Alcedo cancrophaga *Forst. Descr. Mamm.* p. 4.
Alcedo erythrogaster *Temm.*
Halcyon erythrogaster *G. R. Gray*, *Gen. of B.* i. p.
Halcyon Swainsoni *A. Smith*, *Quart. Journ. S. Afr.* (1836) p. 143.
Halcyon erythrorhynchus *Gould*, *Proc. Zool. Soc.* (1837) p. 22.
Dacelo acteon *Less. Tr. d'Orn.* p. 247.
Pl. enl. 356. f. 2.; *Forst. Icon. ined.* 60.; *Voy. of Beagle*, *Birds*, pl.

a. Goree. Presented by Col. Sabine, R. A.
b, *c.* Senegal. Presented by Major Ricketts.
d. Port Bœsja, Western Africa. Presented by Mr. Mildmay.
e. ———? Presented by Lieut. A. Smith.

6. HALCYON SENEGALENSIS. The Senegal Kingfisher.

Alcedo senegalensis *Linn. S. N.* i. p. 180.
Halcyon senegalensis *Swains. Zool. Illustr.* with pl. 27.
Dacelo senegalensis *Less. Tr. d'Orn.* p. 247.
Pl. enl. 594.

a. Goree, Western Africa. Presented by Col. Sabine, R. A.
b. Senegal. Presented by Major Ricketts.
c—f. Sierra Leone. Presented by Col. Sabine, R. A.

7. HALCYON CINEREIFRONS. The ashy-fronted Kingfisher.

Alcedo cinereifrons *Vieill. N. Dict. d'Hist. Nat.* xix. p. 403.; *Gal. des Ois.* t. 187.
Halcyon torquatus *Swains. B. of W. Afr.* ii. p. 99.
Halcyon cinereifrons *G. R. Gray's Gen. of B.* i. p.

a. Western Africa. Presented by E. Wilson, Esq.
b. Fernando Po. Presented by W. R. Thomson, Esq. R.N.

8. HALCYON FUSCICAPILLA. The brown-hooded Kingfisher.

Dacelo fuscicapilla *Lafr. Mag. de Zool.* (1833) *Ois.* t. 18.
Halcyon fuscicapilla *G. R. Gray, Gen. of B.* p.

a, b. Cape of Good Hope. Presented by M.-Gen. T. Hardwicke.
c. South Africa. From the South African Museum.
d. ——————?
e. Cape of Good Hope. Presented by the Earl of Derby.

9. HALCYON CHELICUTI. The Chelicuti Kingfisher.

Alcedo Chelicuti *Stanl. Salt's Trav.* App. p. lvi.
Alcedo variegata *Vieill.*
Halcyon Chelicuti *G. R. Gray, Gen. of B.* i. p.
Dacelo pygmæa *Cretschm.*
Rüpp. Zool. Atlas, t. 28. b.

a, b. Western Africa. Presented by Major Ricketts.
c. Gambia. From Mr. Rendall's Collection.
d. Abyssinia. From the Frankfort Museum.

10. HALCYON STRIOLATA. The streaked Kingfisher.

Alcedo striolata *Licht. Cat. Dupl. Berl. Mus.* p. 12.

a, b. South Africa. From the South African Museum.

11. HALCYON PILEATA. The black-headed Kingfisher.

Alcedo pileata *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 41.
Halcyon pileatus *G. R. Gray, Gen. of B.* i. p.
Alcedo albiventris *Scop. Del. Flor. et Faun. Insubr.* p. 90.
Alcedo atricapilla *Gmel. S. N.* i. p. 453.
Halcyon atricapillus *Steph. Gen. Zool.* xiii. p. 99.
Dacelo atricapilla *Less. Tr. d'Orn.* p. 246.
Alcedo brama *Less. Cent. de Zool.* t. 8.
Pl. enl. 673.

a, b. China (?). Presented by J. Reeves, Esq.
c—e. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.
f. Borneo. Presented by His Excell. Sir J. Brookes.

12. HALCYON MELANOPTERA. The black-winged Kingfisher.

Alcedo melanoptera *Horsf. Linn. Trans.* xiii. p. 174.
Halcyon melanopterus *Steph. Gen. Zool.* xiii. p. 100.

Alcedo omnicolor *Temm. Pl. col.* 135.
Dacelo omnicolor *Less. Tr. d'Orn.* p. 247.

a. Java. Presented by the Hon. East India Company.
b. Java. From Baron Laugier's Collection.

13. HALCYON SMYRNENSIS. The Smyrna Kingfisher.

Alcedo smyrnensis *Linn. S. N.* i. p. 181.
Halcyon smyrnensis *Steph. Gen. Zool.* xiii. p. 99.
Dacelo smyrnensis *Less. Tr. d'Orn.* p. 248.

a. Xanthus, Asia Minor. Presented by Sir C. Fellowes.

14. HALCYON FUSCA. The Indian Kingfisher.

Alcedo fusca *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 54.
Alcedo smyrnensis var. γ. *Lath. Ind. Orn.* i. p. 248.
Alcedo smyrnensis var. albogularis *Blyth, Journ. A. S. B.* (1843) p. 998. (1844) p. 394.
Halcyon fusca *G. R. Gray, Gen. of B.* i. p.
Hardw. Icon. ined. 10979. 101, 192.; *Hodgs. Icon. ined. Pass* 17. f. 1.

a. India. Presented by M.-Gen. T. Hardwicke.
b, c. Nepal. Presented by B. H. Hodgson, Esq.
d—g. Madras. Presented by Rev. B. B. Baber.
h. Behar, male. Presented by B. H. Hodgson, Esq.
i. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.
j. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

15. HALCYON COROMANDELIANA. The Coromandel Kingfisher.

Alcedo coromandeliana *Scop. Del. Flor. et Faun. Insubr.* p. 90.
Halcyon coromandeliana *G. R. Gray, Gen. of B.* i. p.
Alcedo coromanda *Lath. Ind. Orn.* i. p. 252.
Halcyon coromandus *Steph. Gen. Zool.* xiii. p. 100.
Dacelo coromanda *Less. Tr. d'Orn.* p. 246.
Halcyon coromandelicus *Vigors, Mem. of Raffl. App.* p. 654.
Sonn. Voy. ii. t. 118.; *Hodgs. Icon. ined. Pass.* 16.

a. India.
b. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.
c. Nepal. Presented by B. H. Hodgson, Esq.

16. HALCYON LEUCOCEPHALA. The white-headed Kingfisher.

Alcedo leucocephala *Gmel. S. N.* i. p. 456.
Halcyon capensis (*Gmel.?*) *Jerd. Madr. Journ. Lit. and Sci.* (1840) p. 231.

This is H. Senegal & Capensis Blyth

Alcedo javanica *Shaw, Gen. Zool.* viii. p. 67.
Halcyon leucocephala *Steph. Gen. Zool.* xiii. p. 100.
Halcyon gurial *Pears. Journ. A. S. B.* (1841) p. 633.
Halcyon amauropterus *Pears. Journ. A. S. B.* (1841) p. 635.
Halcyon brunniceps *Jerd. Madr. Journ. Lit. and Sci.* (1844) p. 143.
Pl. enl. 757. *Hardw. Icon. ined.* 10979. 100.; *Hodgs. Icon. ined. Pass.* 15. v. 39.

a. Java. Presented by the Hon. East India Company.
b. Indian Archipelago. Presented by Capt. Sir E. Belcher, K. C. R. N.
c, d. India, young. Presented by M.-Gen. T. Hardwicke.
e, f. Nepal. Presented by B. H. Hodgson, Esq.
g, h. Madras. Presented by the Rev. B. B. Baber.
i. Behar, male. Presented by B. H. Hodgson, Esq.
j. ——— ?

17. Halcyon albicilla. The saurophagous Halcyon.

Alcedo albicilla *Cuv. Dict. des Sci. Nat.* xxix. p. 273.
Dacelo albicilla *Less. Tr. d'Orn.* p. 247.
Halcyon albicilla *G. R. Gray, Gen. of B.* i. p. .
Halcyon saurophaga *Gould, Proc. Zool. Soc.* (1843) p. 103.
Voy. of the Sulphur, Birds, pl.

a. New Guinea. Presented by J. Gould, Esq.

18. Halcyon collaris. The white-collared Halcyon.

Alcedo collaris *Scop. Del. Flor. et Faun. Insubr.* p. 90.
Halcyon collaris *Swains. Zool. Illustr.* pl. 27.
Sonn. Voy. t. 33.; *Kittl. Kupf. der Vög.* t. 14. f. 1.

a. India.
b. Java. Presented by the Hon. East India Company.
c. Manilla. From Mr. Cuming's Collection.
d. India. Presented by J. Inskipp, Esq.
e. Tenasserim. Presented by J. D. C. Packman, Esq. M.D.

19. Halcyon superciliosa. The white-browed Halcyon.

a—d. Tongataboo. Presented by Capt. Sir E. Home, Bart. R. N.

20. Halcyon sancta. The Australian Kingfisher.

Halcyon sanctus *Vig. & Horsf. Linn. Trans.* xv. p. 206.
Halcyon sacra *Steph. Gen. Zool.* xiii. p. 98.

Dacelo chlorocephala var. β. *Less. Tr. d'Orn.* p. 246.
Phill. Bot. Bay, pl. in p. 156.; *Jard. and Selby*, *Ill. Orn.* pl. 96, 97.; *Gould*, *B. of Austr.* ii. pl. 21.

a. Australia. Presented by A. Cunningham. Esq.
b—d. Port Essington. Presented by Capt. W. Chambers, R. N.
e, f. South Australia. Presented by His Excell. Capt. Sir G. Grey.
g. Australia. From Mr. Warwick's Collection.
h. Interior of South Australia. Presented by Capt. Sturt.
i. Australia. Presented by Mr. F. G. Moore.
j. Sunday Island. Presented by J. B. Jukes, Esq.
k. Sternum, South Australia. Presented by His Excell. Capt. Sir G. Grey.

21. HALCYON VAGANS. The New Zealand Kingfisher.

Alcedo sacra var. δ. ε. *Lath. Ind. Orn.* i. p. 251.
Alcedo cyanea *Forst. Descr. Mamm.* p. 76.
Alcedo vagans *Less. Voy. de la Coqu. Zool.* p. 694.
Dacelo chlorocephala var. γ *Less. Tr. d'Orn.* p. 246.
Halcyon vagans *G. R. Gray*, *Voy. of Ereb. and Terr.* pl. i.
? Halcyon cinnamominus *Swains. Zool. Illustr.* pl. 67.

a. New Zealand. Presented by the New Zealand Company.
b. Bay of Islands, New Zealand (Antarctic Expedition). Presented by the Admiralty.
c, d. New Zealand. From Mr. Earl's Collection.
e, f. New Zealand. Presented by His Excell. Capt. Sir G. Grey.
g. Sternum, New Zealand.
h. Sternum, New Zealand.
i. Upper mandible, New Zealand. Presented by the Admiralty.

22. HALCYON PYRRHOPYGIA. The red-backed Halcyon.

Halcyon pyrrhopygia *Gould*, *Proc. Zool. Soc.* (1840) p. 113.
Gould, *B. of Austr.* ii. pl. 22.

a. South Australia, male. Presented by His Excell. Capt. Sir G. Grey.
b. South Australia, female. Presented by His Excell. Capt. Sir G. Grey.
c. River Darling, South Australia. Presented by Capt. Sturt.

23. HALCYON MACLEAYII. MacLeay's Kingfisher.

Halcyon MacLeayii *Jard. & Selby, Illustr. of Orn.* pl. 101.
Halcyon incinctus *Gould, Proc. Zool. Soc.* (1837) p. 142.
Gould, B. of Austr. ii. pl. 24.

a, b. Port Essington. Presented by Capt. W. Chambers, R. N.
c. Gould Island, Australia. Presented by J. B. Jukes, Esq.
d. Port Essington. Presented by J. B. Jukes, Esq.

b. *TODIRAMPHUS.*

24. HALCYON TUTU. The sacred Kingfisher.

Alcedo sacra *Gmel. S. N.* i. 453. ?
Alcedo collaris *Forst. Descr. Anim.* p. 162.
Alcedo tutu *Gmel. S. N.* i. 453.
Todiramphus sacer *Less. Mém. de la Soc. d'Hist. Nat.* iii. p. 421. t. 11.
Todiramphus divinus *Less. Mém. de la Soc. d'Hist. Nat.* iii. p. 422. t. 12.
Forst. Icon. ined. 58.; *Ellis, Icon. ined.* 22, 23.

a, b. Otaheite, males. From M. Verreaux' Collection.
c. Otaheite, male. From M. Verreaux' Collection.
d, e. Otaheite. From Mr. Turner's Collection.
f. Otaheite. From Mr. Turner's Collection.
g. South Sea Islands, variety.

25. HALCYON PLATYROSTRIS. The flat-billed Halcyon.

Halcyon platyrostris *Gould, Proc. Zool. Soc.* (1842) p. 72.
Todiramphus recurvirostris *Lafr. Rev. Zool.* (1842) p. 135.

a, b. Navigators' Islands. Presented by the Rev. J. B. Stair.

3. TANYSIPTERA.

Tanysiptera *Vigors, Linn. Trans.* xiv. p. 433. (1825).

1. TANYSIPTERA DEA. The Ternate Kingfisher.

Alcedo dea *Linn. S. N.* i. p. 181.
Tanysiptera dea *Vigors, Linn. Trans.* xiv. p. 433.
Pl. enl. 116.

a. New Guinea. From Baron Laugier's Collection.
b. New Guinea. From Mr. Turner's Collection.
c. ————? Presented by Capt. Sir E. Belcher, K. C. R. N.

2. TANYSIPTERA NYMPHA. The Nymph Kingfisher.

Tanysiptera nympha *G. R. Gray, Ann. and Mag. of Nat. Hist.* (1841) p. 238.

a. ————? From Mr. Turner's Collection.

4. CEYX.

Ceyx *Lacép. Mém. de l'Inst.* (1801) p. 511. (1800, 1801).

1. CEYX TRIDACTYLA. The tridactylous Kingfisher.

Alcedo tridactyla *Linn. Mant.* p. 524.
Ceyx tridactyla *Cuv. Règ. An.* (1817) p. 417.
Ceyx luzoniensis *Steph. Gen. Zool.* xiii. p. 106.

a. Java. Presented by the Hon. East India Company.
b. Indian Archipelago.
c. Borneo. From Mr. Cuming's Collection.

2. CEYX RUBRA. The red Kingfisher.

Alcedo rubra *Bodd. Tabl. des Pl. enl. d'Aubent.* p. 48.
Alcedo purpurea *Gmel. S. N.* i. 449.
Pl. enl. 778. f. 2.

a. Philippine Islands. From Mr. Cuming's Collection.

3. CEYX MELANURA. The black-tailed Kingfisher.

Ceyx melanura *Kaup, Verhandl. Darmst.* (1848) p.

a. Indian Archipelago. From Mr. Cuming's Collection.

4. CEYX LEPIDA. The beautiful Kingfisher.

Alcedo lepida *Temm. Pl. col.*

a. Indian Archipelago. From Mr. Cuming's Collection.

iii. *ALCEDININÆ.*

1. CERYLE.

Ceryle *Boie*, *Isis*, (1828) p. 316.
Ispida *Swains. Classif. of B.* ii. p. 336. (1837).

1. CERYLE RUDIS. The black and white Kingfisher.

Alcedo rudis *Linn. S. N.* i. p. 181.
Ceryle rudis *Boie*, *Isis*, (1828) p. 316.
Ispida bicincta *Swains. B. of W. Afr.* ii. p. 95.
Ispida bitorquata *Swains. Classif. of B.* i. p. 336.
Ceryle varia *Strickl. Ann. and Mag. Nat. Hist.* vi. p. 418.
Hardw. Icon. ined. 10979. 98, 99.; *Hodgs. Icon. ined. Pass.* 18. f. 2.: 19. f. 2.; *Gould*, *B. of Eur.* pl. 62.

a. Egypt. Presented by W. B. D. Turnbull, Esq.
b, *c.* Egypt. Presented by John Bowring, Esq.
d. India. Presented by M.-Gen. T. Hardwicke.
e—h. Madras. Presented by the Rev. B. B. Baber.
i. ———?
j, *k.* Nepal. Presented by B. H. Hodgson, Esq.
l. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

2. CERYLE GUTTATA. The spotted Kingfisher.

Alcedo guttata *Vigors*, *Proc. Z. S.* (1830) p. 22.
Alcedo lugubris *Temm. Pl. col.* 548.
Ceryle guttata *G. R. Gray*, *Gen. of B.* i. p.
Gould's Cent. of Birds, pl.; *Hardw. Icon. ined.* 10979. 96, 97.; *Hodgs. Icon. ined. Pass.* 18. f. 1. 19. f. 1.

a, *b.* Himalayah Mountains. Presented by M.-Gen. T. Hardwicke.
c—e. Nepal. Presented by B. H. Hodgson, Esq.
f. Himalayah Mountains. From Mr. Leadbeater's Collection.

3. CERYLE AMERICANA. The white and green Kingfisher.

Alcedo americana *Gmel. S. N.* i. p. 451.
Ceryle americana *Boie*, *Isis*, (1828) p. 316.
Alcedo viridis *Vieill. N. Dict. d'Hist. Nat.* xix. p. 413.
Pl. enl. 591.; *Azara*, No. 421.

a, *b.* South America.
c. South America. Presented by M.-Gen. T. Hardwicke.
d. Island of Puna. Presented by Mr. G. Barclay.
e. Brazil. Presented by M. Claussen.
f. ———?

4. CERYLE VIRIDIRUFA. The rufous and green Kingfisher.

Alcedo viridirufa *Bodd. Tabl. des Pl. enl. d'Aubent*, p. 36.
Ceryle viridirufa *G. R. Gray*, *Gen. of B.* i. p.
Alcedo bicolor *Gmel. S. N.* i. p. 451.
Ceryle bicolor *Boie*, *Isis*, (1828) p. 316.
Pl. enl. 592. 1, 2.

a, *b*. Demerara.
c. South America.
d. South America.

5. CERYLE AMAZONA. The Amazonian Kingfisher.

Alcedo amazona *Lath. Ind. Orn.* i. p. 257.
Ceryle amazona, *Boie. Isis.* (1828) p. 316.
Alcedo rubescens *Vieill. N. Dict. d'Hist. Nat.* xix. p. 408.
Azara, No. 419, 420.

a, *b*. British Guiana. Presented by Sir R. Schomburgk.
c. South America.

6. CERYLE TORQUATA. The starry Kingfisher.

Alcedo torquata *Linn. S. N.* i. p. 180.
Ceryle torquata *G. R. Gray*, *Gen. of B.* i. p. .
Alcedo cinerea *Bonn. Encyc. Méth.* p. 287.
Alcedo cyanea *Vieill. N. Dict. d'Hist. Nat.* xix. p. 401.
Alcedo stellata *Meyen*, *Nova Acta Bonn.* ii. p. 93. t. 14. *Suppl. Pl. enl.* 284.; *Azara*, No. 417, 418.

a. South America. From Baron Laugier's Collection.
b. South America. Presented by Lieut. Man, R. N.
c. South America. Presented by M.-Gen. T. Hardwicke.
d, *e*. British Guiana. Presented by Sir R. Schomburgk.
f. Mexico. Presented by John Phillips, Esq.
g. ——— ?

7. CERYLE MAXIMA. The great African Kingfisher.

Alcedo maxima *Gmel. S. N.* i. p. 455.
Alcedo afra *Shaw*, *Gen. Zool.* viii. p. 55.
Ceryle maxima *G. R. Gray*, *Gen. of B.* i. p. .
Ispida gigantea *Swains. B. of W. Afr.* ii. pl. 11.
Pl. enl. 679.

a. Congo Expedition. Presented by the Admiralty.
b. Western Africa. Presented by —. Salmon, Esq.

8. Ceryle alcyon. The belted Kingfisher.

Alcedo alcyon *Linn. S. N.* i. p. 180.
Ceryle alcyon *Boie, Isis*, (1828) p. 316.
Ispida alcyon *Swains. Classif. of B.* ii. p. 336.
Alcedo guacu *Vieill. N. Dict. d'Hist. Nat.* xix. p. 406.?
Catesby's Carolina, pl. 96.; *Pl. enl.* 715.; *Wils. Amer. Orn.* pl. 23. f. 1.; *Audub. B. of Amer.* pl. 77.

a. North America. Presented by Dr. Ridgeway.
b. North America. Presented by M.-Gen. T. Hardwicke.
c. North America. Presented by the Earl of Derby.

9. Ceryle superciliosa. The supercilious Kingfisher.

Alcedo superciliosa *Linn. S. N.* i. p. 179.
Ceryle superciliosa *G. R. Gray, Gen. of B.* i. p.
Edwards's Birds, pl. 245.

a, *b*. Demerara.

2. ALCEDO.

Alcedo *Linn. S. N.* (1756).
Ispida (pars) *Linn. S. N.* (1735).

a. *Alcedo.*

1. Alcedo ispida. The common Kingfisher.

Alcedo ispida *Linn, S. N.* i. p. 179.; *Brehm, Vög. Deuts.* i. p. 148.; *Yarrell, Brit. Birds*, ii. p. 223.
Gracula Atthis *Gmel. S. N.* i. p. 398.
Alcedo subispida *Brehm, Vög. Deuts.* i. p. 149.
Alcedo advena *Brehm, Vög. Deuts.* i. p. 150. t. xi. f. 2.
Pl. enl. 77.; *Kittl. Küpf. Vög.* t. 29. f. 1.; *Gould, B. of Eur.* pl. 61.

a. Devonshire. From Col. Montagu's Collection.
b, *c*. Great Britain.
d, *e*. Europe.
f—*h*. Cambridgeshire, young. Presented by Mr. J. Baker.
i. Northern Russia.
j. Sternum, England. Presented by I. Ingall, Esq.
k. Sternum, England, young. Presented by I. Ingall, Esq.

2. ALCEDO BENGALENSIS. The Indian Kingfisher.

Alcedo bengalensis *Gmel. S. N.* i. p. 450
Alcedo hispidioïdes *Less. Compl. Buff.* ix. p. 345.
Edwards's Birds, pl. 11.; *Kittl. Küpf. Vög.* t. 29. f. 2.

a. India. Presented by Capt. Johnstone.
b—d. Nepal. Presented by B. H. Hodgson, Esq.
e, f. Behar. Presented by B. H. Hodgson, Esq.
g—j. Madras. Presented by the Rev. B. B. Baber.
k. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.
l. India. Presented by the Hon. East India Company.
m. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

3. ALCEDO EURYZONA. The broad-zoned Kingfisher.

Alcedo euryzona *Temm. Pl. col.*

a. Molucca. From the Leyden Museum.
b. Molucca. From Mr. Warwick's Collection.

4. ALCEDO MENINTING. The Meninting Kingfisher.

Alcedo meninting *Horsf. Linn. Trans.* xiii. p. 172.
Ceyx meninting *Cuv. Règ. Anim.* (1829) p. 444.
Alcedo asiatica *Swains. Zool. Illustr.* pl. 50.
Pl. col. 239. f. 2.

a. Java. Presented by the Hon. East India Company.
b. Singapore. Presented by His Excell. Sir J. Brooke.

5. ALCEDO BIRU. The Biru Kingfisher.

Alcedo biru *Horsf. Linn. Trans.* xiii. p. 172.
Pl. col. 239. f. 1.

a. Java. Presented by the Hon. East India Company.

6. ALCEDO SEMITORQUATA. The half-collared Kingfisher.

Alcedo semitorquata *Swains. Zool. Illustr.* pl. 151.
Rüpp. Syst. Uebers. Vög. t. 7.

a. Northern Africa. Presented by Lord Mountnorris.
b. Cape of Good Hope. From the South African Museum.
c. Cape of Good Hope. Presented by —. Campbell, Esq.
d. Western Africa. Presented by Col. Sabine, Esq. R. A.

7. ALCEDO LEUCOGASTRA. The white-bellied Kingfisher.

Halcyon leucogaster *Fras. Proc. Zool. Soc.* (1843) p. 4.
Alcedo leucogaster *Kaup*, *Verhandl. Darmst.* (1848) p. 75.
Fras. Zool. Typica. pl. .

a. Fernando Po. From the Niger Expedition.

b. *CORYTHORNIS.*

8. ALCEDO CÆRULEOCEPHALA. The blue-headed Kingfisher.

Alcedo cæruleocephala *Gmel. S. N.* i. p. 449.
Alcedo cyaneocephala *Shaw*, *Gen. Zool.* viii. p. 100.
Alcedo (Corythornis) cæruleocephala *Kaup*, *Verhandl. Darmst.* (1848) p. 73.
Pl. enl. 356. f. 1.

a, *b.* North Africa. Presented by Lord Mountnorris.

9. ALCEDO NAIS. The Nais Kingfisher.

Alcedo nais *Kaup*, *MSS.*
Alcedo (Corythornis) nais *Kaup*, *Verhandl. Darmst.* (1848) p. 72.

a. ———— ?

10. ALCEDO CRISTATA. The crested Kingfisher.

Alcedo cristata *Linn. S. N.* i. p. 178.
Alcedo (Corythornis) cristata *Kaup*, *Verhandl. Darmst.* (1848) p. 73.
Pl. enl. 756. f. 1.; *Kittl. Küpf. Vög.* t. 29. f. 3.; *Briss. Orn.* iv. t. 37. f. 3.

a. North Africa. Presented by Lord Mountnorris.
b. South Africa. Presented by the Earl of Derby.
c. Abyssinia. From Mr. Leadbeater's Collection.

11. ALCEDO CYANOSTIGMA. The blue-marked Kingfisher.

Alcedo cyanostigma *Rüpp. Faun. Abyss. Ois.* t. 24. f. 2.
Alcedo (Corythornis) cyanostigma *Kaup*, *Verhandl. Darmst.* (1848) p. 73.

a. Africa.
b. Cape? Presented by M.-Gen. T. Hardwicke.
c. Africa. Presented by E. Wilson, Esq.

12. ALCEDO VINTSIOIDES. The Madagascar Kingfisher.

Alcedo vintsioïdes *Eydoux et Gerv. Voy. de la Favor. Mag. de Zool.* (1836) *Ois.* t. 74.; *Edwards's Birds*, pl. 336.
Alcedo (Corythornis) vintsioïdes *Kaup*, *Verhandl. Darmst.* (1848) p. 73.

a. Madagascar. Presented by E. Wilson, Esq.

c. *IPSIDINA.*

13. ALCEDO PICTA. The rose-cheeked Kingfisher.

Todus pictus *Bodd. Tab. des Pl. enl. d'Aubent.* p. 49.
Alcedo cærulea *Gmel. S. N.* i. p. 454.
Alcedo capistrata *Shaw*, *Gen. Zool.* viii. p. 94.
Alcedo ultramarina *Daud. Ann. du Mus.* ii. p. 443.; *Shaw*, *Nat. Misc.* pl. 901.
Alcedo pusilla *Shaw*, *Nat. Misc.* pl. 159.
Halcyon cyanotis *Swains. B. of W. Afr.* ii. p. 103.
Alcedo (Ispidina) picta *Kaup*, *Verhandl. Darmst.* (1848) p. 72.
Alcyone coronata *Smith.*
Pl. enl. 783. f. 1.; *G. R. Gray and Mitch. Gen. of B.* pl. 28.

a. Cape of Good Hope. Presented by J. Gould, Esq.
b. Western Africa. Presented by Col. Sabine, R. A.

14. ALCEDO NITIDA. The shining Kingfisher.

Alcedo nitida *Kaup*, *MSS.*
Alcedo (Ipsidina) nitida *Kaup*, *Verhandl. Darmst.* (1848) p. 72.

a. ———— ? From Mr. Warwick's Collection.

3. ALCYONE.

Alcyone *Swains. Classif. of B.* ii. p. 336. (1837).
Halcyone *Agass.*

1. ALCYONE AZUREA. The azure Kingfisher.

Alcedo azurea *Lath. Ind. Orn. Suppl.* p. xxxii.
Ceyx azurea *Steph. Gen. Zool.* xiii. p. 106.
Alcyone azurea *G. R. Gray*, *List of Gen. B.* (1840) p. 11.
Alcyone australis *Swains. Zool. Illustr.* pl. 26.
Alcedo tribrachys *Shaw*, *Nat. Misc.* pl. 681.
Ceyx tribrachys *Cuv. Règ. An.* (1817) i. p. 417.
Ceyx cyanea *Less. Tr. d'Orn.* p. 241.

Alcyone pulchra *Gould, Proc. Zool. Soc.* (1846) p. 19.
Alcyone diemensis *Gould, Proc. Zool. Soc.* (1846) p. 19.
Lewin, B. of N. H. pl. 1.; *Jard. and Selby, Illustr. Ornith.* pl. 55. f. 1.

a. Australia. Presented by M.-Gen. Hardwicke.
b. Van Diemen's Land. From Mr. Gunn's Collection.
c. Port Essington, N. W. Austr. Presented by Capt. W. Chambers, R. N.
d. Skeleton, Port Essington. From Mr. Warwick's Collection.

iv. *GALBULINÆ.*

1. GALBULA.

Galbula *Mœhr. Av. Genera*, p. 82. (1752).

1. Galbula viridis. The green Jacamar.

Alcedo galbula *Linn. S. N.* i. p. 181.
Galbula viridis *Lath. Ind. Orn.* p. 244.
Galbula viridicauda *Swains. Two Cent. and a Quart.* p. 327.
Galbula rubricollis *Shaw, Gen. Zool.* ix. p. 224.?
Briss. Orn. iv. t. v. f. 1.; *Edwards's Birds*, pl. 334.; *Pl. enl.* 238.; *Levaill. Hist. Nat. Jacam.* t. 47, 48, 49.; *Vieill. Hist. Nat. Jacam.* t. 1. (2.?)

a, b. British Guiana. Presented by Sir R. Schomburgk.

2. Galbula ruficauda. The rufous-tailed Jacamar.

Galbula ruficauda *Cuv. Règ. Anim.* (1829) i. p. 447.
Levaill. Hist. Nat. Jacam. t. 50.

a. South America.

3. Galbula macroura. The short-billed Jacamar.

Galbula macroura *Vieill. Gal. des Ois.* t. 29.

a. South America. Presented by J. Gould, Esq.

4. Galbula leptura. The long-tailed Jacamar.

Galbula leptura *Swains. Two Cent. and a Quart.* p. 327.
Lath. Gen. Syn. ii. pl. 26.; *Less. Tr. d'Orn.* t. 27. f. 1.

a. South America. Presented by J. Gould, Esq.
b. South America. Presented by J. Murray, Esq.
c. South America. Presented by Lieut. Maw, R. N.

5. GALBULA LEUCOGASTRA. The white-bellied Jacamar.

Galbula leucogastra *Vieill. N. Dict. d'Hist. Nat.* xvi. p. 444.
Galbula albiventer *Cuv. Règ. Anim.* i. (1829) p. 448.
Galbula albiventris *Less. Tr. d'Orn.* p. 234.
Levaill. Hist. Nat. Jacam. Suppl. t. H.

a. South America. From Mr. Baker's Collection.

6. GALBULA ALBIROSTRIS. The white-billed Jacamar.

Galbula albirostris *Lath. Ind. Orn.* i. p. 245.
Galbula flavirostris *Vieill. N. Dict. d'Hist. Nat.* xvi. p. 443.
Galbula flavirostra *Swains. Two Cent. and a Quart.* p. 328.
Vieill. Ois. dor. t. 4.; *Levaill. Hist. Nat. Jacamar*, t. 51.

a, b. South America. From Mr. Baker's Collection.

7. GALBULA PARADISEA. The Paradise Jacamar.

Galbula paradisea *Lath. Ind. Orn.* p. 245.
Alcedo paradisea *Linn. S. N.* i. p. 181.
Briss. Orn. i.v. t. 2.; *Pl. enl.* 271.; *Vieill. Ois. dor.* t. 3.; *Levaill. Hist. Nat. Jacamar*, t. 52.

a. South America.
b. South America. From Mr. Baker's Collection.

2. JACAMARALCYON.

Jacamaralcyon *Cuv. Règ. An.* (1829) i. p. 448.

1. JACAMARALCYON TRIDACTYLA. The three-toed Jacamar.

Galbula tridactyla *Vieill. N. Dict. d'Hist. Nat.* xvi. p. 445.
Galbula ceycoïdes *Such, Zool. Journ.* ii. p. 112.
Galbula armata *Swains. Two Cent. and a Quart.* p. 328.
Jacamaralcyon brasiliensis *Less. Tr. d'Orn.* p. 235.
Jacamaralcyon tridactyla *G. R. Gray, List of Gen. of B.* (1840) p. 11.
Levaill. Hist. Nat. Guép. Suppl. t. L.; *Spix, Av. Bras.* t. 57. f. 2.; *Jard. and Selby, Ill. Orn.* pl. 22.

a. Brazil. Presented by J. Gould, Esq.

2. JACAMARALCYON LUGUBRIS. The mournful Jacamar.

Galbula lugubris *Swains. Two Cent. and a Quart.* p. 329.

a. British Guiana. Presented by Sir R. Schomburgk.

3. JACAMEROPS.

Jacamerops *Cuv. Règ. An.* (1817) i. p. 420.
Lamprotila *Swains. Classif. of B.* ii. p. 336. (1837).

1. JACAMEROPS GRANDIS. The great Jacamar.

Jacamerops grandis *Cuv. Règ. An.* (1817) i. p. 420.
Alcedo grandis *Gmel. S. N.* i. p. 458.
Galbula jacamarici *Shaw.*
Galbula grandis *Shaw, Nat. Misc.* pl. 833.
Lamprotila platyrhyncha *Swains. Classif. of B.* ii. p. 336. *Vieill. Ois. dor.* t. 6.; *Levaill. Hist. Nat. Jacam.* t. 54.

a. South America. From Mr. Gould's Collection.
b. South America. From Mr. Tucker's Collection.
c. South America. From Mr. J. Baker's Collection.

Fam. VI. MEROPIDÆ.

i. *MEROPINÆ.*

1. MEROPS.

Merops *Linn. S. N.* (1756) p.
Ispida, (pars) *Linn. S. N.* (1735).
Apiaster *Briss. Orn.* p. (1760).

1. MEROPS APIASTER. The common Bee-eater.

Merops apiaster *Linn. S. N.* i. p. 182.; *Brehm, Vög. Deuts.* i. p. 147.; *Yarrell, Brit. Birds*, ii. p. 217.
Merops chrysocephalus *Gmel. S. N.* i. p. 463.
Merops schæghagha *Forsk. Faun. Arab.* 1.
Merops hungariæ *Brehm, Vög. Deuts.* i. p. 146. t. xi. f. 1. *Pl. enl.* 938.; *Gould, B. of Eur.* pl. 59.; *Levaill. Hist. Nat. Guêp.* t. i. 2.

a. ———? Presented by M.-Gen. T. Hardwicke.
b. Devonshire. Presented by Addis Archer, Esq.
c Athens. Presented by C. L. W. Merlin, Esq.

d. Egypt. Presented by John Bowring, Esq.
e. Asia Minor. Presented by Sir C. Fellows.
f. Northern Asia.
g. Sternum, Europe. From Mr. Lefevre's Collection.
h. Skull, Egypt. Presented by Dr. Turnbull Christie.

2. MEROPS ÆGYPTIUS. The Egyptian Bee-eater.

Merops ægyptius *Forsk. Faun. Arab.* i. No. 2.
Merops persica *Pall. Zoogr.* i. p. 440. t.
Merops Savignyi *Cuv. Règ. Anim.* (1829) i. p. 442.; *Swains. B. of W. Afr.* ii. p. 77. pl. 7.
Merops ruficollis *Vieill. N. Dict d'Hist. Nat.* xv. p. 22.
Levaill. Guêp. t 6. 6. 16.; *Pr. Bonap. Faun. Ital.* t. 25. f. 1.; *Kittl. Küpf.* t. 7. f. 1.

a, b. Egypt, young. Presented by W. B. D. Turnbull, Esq.
c. ———— ?
d, e. Egypt, adult. Presented by J. Bowring, Esq.
f. ————? adult. Presented by E. Wilson, Esq.

3. MEROPS PHILIPPINUS. The Philippine Bee-eater.

Merops philippinus *Linn. S. N.* i. p. 183.
Merops javanicus *Horsf. Linn. Trans.* xiii. p. 171.
Merops Daudini *Cuv. Règ. Anim.* (1829) i. p. 442.
Merops typicus *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Pl. enl. 57.; *Levaill. Nat. Hist. Guêp.* t. 14.

a, b. Philippine Islands. From Mr. Cuming's Collection.
c. Behar. Presented by B. H. Hodgson, Esq.
d, e. Indian Archipelago. Presented by Capt. Sir E. Belcher, C. B. R. N.
f. Nepal. Presented by B. H. Hodgson, Esq.
g, h. Java. Presented by the Hon. East India Company.
i. Malabar. Presented by Mrs. Spinks.

4. MEROPS VIRIDIS. The Indian Bee-eater.

Merops viridis *Linn. S. N.* i. p. 182.
Merops Lamarckii *Cuv. Règ. Anim.* (1829) i. p. 442.
Merops torquatus *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Merops ferrugeiceps *Hodgs. Gray, Zool. Misc.* (1844) p. 82.
Merops indicus *Jerd. Madr. Journ. Lit. and Sci.* (1840) p. 227.
Edwards, Birds, pl. 183.; *Levaill. Hist. Nat. Guêp.* t. 10.; *Hodgs. Icon. ined. Pass.* 20, 21, 22. f. 2, 3, 4.

a. Gangoutra, Himalayah Mountains.
b—d. Nepal. Presented by B. H. Hodgson, Esq.

e. Madras. Presented by W. Elliott, Esq.
f. Madras. Presented by the Rev. B. B. Baber.
g. Darjeelan. Presented by B. H. Hodgson, Esq.

5. MEROPS ORNATUS. The variegated Bee-eater.

Merops ornatus *Lath. Ind. Orn. Suppl.* p. xxx.
Philemon ornatus *Vieill. N. Dict. d'Hist. Nat.* xvii. p. 423.
Merops melanurus *Lewin, B. of N. H.* pl. 2.
Levaill. Hist. Nat. Guêp. t. 4.; *Gould, B. of Austr.* ii. pl.

a. Australia. From Mr. Gould's Collection.
b, *c*. Port Essington. Presented by Capt. W. Chambers, R. N.
d, *e*. Murray River, Australia. Presented by His Excell. Capt. Sir G. Grey.
f, *g*. Cape Upstart, Australia. Presented by J. B. Jukes, Esq.

6. MEROPS ALBICOLLIS. The white-throated Bee-eater.

Merops albicollis *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 15.
Merops Cuvieri (*Licht.*) *Règ. Anim.* (1829) i. p. 442.
Merops Savignii *Swains. Zool. Illustr.* pl. 76.
Levaill. Hist. Nat. Guêp. t. 9.

a—*c*. Western Africa. Presented by Col. Sabine, R. A.

✓ 7. MEROPS QUINTICOLOR. The Pirik Bee-eater.

Merops quinticolor *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 20.
Merops urica *Horsf. Linn. Trans.* xiii. p. 172.
Levaill. Hist. Nat. Guêp. t. 15.; *Swains. Zool. Illustr.* pl. 8.; *Hodgs. Icon. ined. Pass.* 22. f. 1.

a. Java. Presented by the Hon. East India Company.
b. Nepal. Presented by B. H. Hodgson, Esq.
c, *d*. Madras. Presented by the Rev. B. B. Baber.
e, *f*. Tenasserim. Presented by J. D. C. Packman, Esq. M. D.

8. MEROPS BADIUS. The chestnut Bee-eater.

Merops badius *Gmel. S. N.* i. p. 462.
Merops castaneus *Lath. Ind. Orn.* i. p. 273.
Merops sumatranus *Raffl. Linn. Trans.* xiii. p. 294.?
Pl. enl. 252.; *Levaill. Hist. Nat. de Guép.* t. 12.

a. Isle of France, adult. Presented by E. Wilson, Esq.
b. Malacca, young. From Mr. Cuming's Collection.
c. Indian Archipelago? adult. From Mr. Warwick's Collection.
d. Indian Archipelago, young. From Mr. Warwick's Collection.

9. MEROPS NUBICUS. The blue-headed Bee-eater.

Merops nubicus *Gmel. S. N.* i. p. 464.
Merops cæruleocephalus *Lath. Ind. Orn.* i. p. 274.
Merops superbus *Penn. Ind. Zool. Suppl.* p. 33.
Pl. enl. 649.; *Nat. Misc.* pl. 613.; *Levaill. Hist. Nat. Guêp.* t. 3.; *Swains. B. of W. Afr.* pl. 9.

a. Western Africa Presented by Major Ricketts.
b. Gambia. From Mr. Rendall's Collection.

10. MEROPS NUBICOIDES. The black-eared Bee-eater.

Merops nubicoïdes *O. Des Murs, Rev. Zool.* 1846. p. 243.

a. (Africa?). Presented by E. Wilson, Esq.

2. MELITTOPHAGUS.

Melittophagus *Boie, Isis,* (1828) p. 316.

1. MELITTOPHAGUS ERYTHROPTERUS. The red-winged Bee-eater.

Melittophagus erythropterus *Boie, Isis,* (1828) p. 316.
Merops erythropterus *Gmel. S. N.* i. p. 464.
Merops minutus *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 18.
Merops minulus *Cuv. Règ. Anim.* (1829) p. 442.
Levaill. Hist. Nat. Guêp. t. 17.

a. Western Africa. Presented by Col. Sabine, R. A.
b. Gambia. From Mr. Rendall's Collection.

2. MELITTOPHAGUS VARIEGATUS. The North African Bee-eater.

Merops variegatus *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 25.
Melittophagus variegatus *G. R. Gray, Gen. of B.* i. p.
Kittl. Kupf. der Vög. t. 7. f. 3.

a. Abyssinia. From Mr. Gould's Collection.
b. Abyssinia. From the Frankfort Museum.

3. MELITTOPHAGUS HIRUNDINACEUS. The swallow-tailed Bee-eater.

Merops hirundinaceus *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 21.
Merops taiva *Cuv. Règ. Anim.* (1829) i. p. 442.
Merops chrysolaimus *Jard. & Selby, Ill. Orn.* pl. 99.
Merops furcatus *Stanl. App. to Salt's Trav.* p. lvii.
Melittophagus taiva *Boie, Isis,* (1828) p. 316.
Levaill. Hist. Nat. Guêp. t. 8.

a. South Africa. From Mr. Gould's Collection.

4. Melittophagus Bullockii. Bullock's Bee-eater.

Merops Bullockii *Vieill. N. Dict. d'Hist. Nat.* xiv. p. 13.
Merops cyanogaster *Swains. B. of W. Afr.* pl. 8.
Melittophagus Bullockii *G. R. Gray, Gen. of B.* i. p.
Levaill. Hist. Nat. Guêp. t. 20.; *Donov. Nat. Repos.* pl. 45.
a. South Africa. From the South African Museum.

5. Melittophagus Bullockoïdes. The white-fronted Bee-eater.

Merops Bullockoïdes *A. Smith, South Afric. Quart. Journ.* (1834) p. .; *Illustr. Zool. S. Afr. Birds*, pl. 9.
Melittophagus Bullockoïdes *G. R. Gray, Gen. of B.* p. .
a. South Africa. From the South African Museum.

6. Melittophagus gularis. The red-throated Bee-eater.

Merops gularis *Shaw, Nat. Misc.* pl. 337.
Melittophagus gularis *G. R. Gray, Gen. of B.* i. p. .
G. R. Gray and Mitch. Gen. of B. pl. 30.
a. Western Africa. From Mr. Argent's Collection.

3. NYCTIORNIS.

Nyctiornis *Swains. Zool. Illustr. N. S.* (1831).
Alcemerops *J. Geoff. Mém. du Mus.* (1832).
Bucia *Hodgs. Journ. A. S. B.* (1836) p. 360.
Napophila *Hodgs. Journ. A. S. B.* (1841) p. 29.

1. Nyctiornis Athertoni. The azure-throated Bee-eater.

Nyctiornis cærulea *Swains. Classif. of B.* ii. p. 333.
Merops Athertoni *Jard. & Selby, Ill. Orn.* pl. 58.
Nyctiornis Athertoni *Hodgs. Cat. Mam. and Birds of Nepal, Brit. Mus.* p. 58.
Bucia nipalensis *Hodgs. Journ. A. S. B.* (1836) p. 36.
Napophila meropina *Hodgs. Gray's Zool. Misc.* (1844) p. 82.
Bucia Athertonii *Blyth, Journ. A. S. B.* (1841) p. 922.
Merops ? cyanogularis *Jerd. Madr. J. Lit. and Sci.* (1840) p. 229.
Napophila Athertonii *Blyth, Journ. A. S. B.* (1842) p. 104.
Nyctiornis Amherstianus *Royle.*
Hardw. Icon. ined. 10979. 89. 91.; *Hodgs. Icon. ined. Pass.* ? f. 1, 2. 25.
a. India. Presented by J. R. Reeves, Esq.
b. Himalayah Mountains.
c—e. Nepal. Presented by B. H. Hodgson, Esq.
f. ——— ? Presented by B. H. Hodgson, Esq.
g. Sternum, Nepal. Presented by B. H. Hodgson, Esq.

2. NYCTIORNIS AMICTA. The red-faced Nyctiornis.

Merops amictus *Temm. Pl. col.* 310.
Nyctiornis amicta *Swains. Zool. Ill.* n. s. pl. 56.

a. Malacca. From Mr. Cuming's Collection.
b, *c.* Indian Archipelago. From Mr. Warwick's Collection.
d, *e.* Tenasserim. Presented by J. D. C. Packman, Esq. M.D.
f. Indian Archipelago. From Mr. Warwick's Collection.

INDEX.

A.

abyssinica. Coracias, 34.; Hirundo, 23.
Acanthylis, 15.
Acanthylis. Collared, 15.; Grey-backed, 16.; Grey-tailed, 16.; Naked-footed, 15.; White-backed, 16.
Actenoides, 52.
acteon. Dacelo, 53.
advena. Alcedo, 62.
Ægotheles, 3.
ægyptius. Caprimulgus, 6.; Merops, 69.
ætherens. Caprimulgus, 5.; Nyctibius, 5.
afer. Eurystomus, 32.
affinis. Coracias, 33.; Corvus, 49.; Cymbirhynchus, 38.; Cypselus, 19.; Micropus, 19.; Nyctidromus, 11.
afra. Alcedo, 61.; Colaris, 32.; Coracias, 32.
africanus. Caprimulgus, 7.; Cypselus, 18.; Macrodipteryx, 13.; Micropus, 18.
albicilla. Alcedo, 56.; Dacelo, 56.; Halcyon, 56.
albicollis. Hirundo, 16.; Merops, 70.; Temnurus, 43.; Trogon, 43.
albifrons. Bucco, 49.; Coracias, 34.
albirostris. Galbula, 67.
albiscapulata. Atticora, 21.
albiventer. Galbula, 67.; Hirundo, 26.
albiventris. Alcedo, 54.; Galbula, 67.; Hirundo, 28.
albogularis. Caprimulgus, 11.; Eurostopodus, 11.
albomaculatus. Caprimulgus, 11.
albonotatus. Caprimulgus, 8.
Alcedinidæ, 46.
Alcedininæ, 60.
Alcedo, 62.
Alcemerops, 72.
alcyon. Alcedo, 62.; Ceryle, 62.; Ispida, 62.
Alcyone, 65.
Alcyones, 1.
alpestris. Hirundo, 23.
alpina. Hirundo, 18.
alpinus. Cypselus, 18.
amauropterus. Halcyon, 56.
amazona. Alcedo, 61.; Ceryle, 61.
Amblypterus, 10.
ambrosiaca. Atticora, 19.; Hirundo, 19.
ambrosiacus. Cypselus, 19.
Ambulatores, 1.
americana. Alcedo, 60.; Cecropis, 24.; Ceryle, 60.; Hirundo, 24.
americanus. Caprimulgus, 13.
Amherstianus. Nyctiornis, 72.
amictus. Merops, 73.; Nyctiornis, 73.
Amplypterus, 10.
andicola. Chelidon, 20.
andicolus. Cypselus, 20.; Micropus, 20.
angolensis. Coracias, 34.
Anisodactyli, 1.
anomalus. Amblypterus, 10.; Eleothreptus, 10.
antisianus. Calurus, 46.; Trogon, 46.
Antrostomus, 5. 9.
Apaloderma, 43.
Apiaster, 68.
apiaster. Crypticus, 40.; Merops, 68.
Apus, 18.
apus. Cypselus, 18.; Micropus, 18.
arborea. Chelidon, 25.; Collocalia, 25.
ardens. Harpactes, 44.; Trogon, 44.
Ariel. Chelidon, 25.; Collocalia, 25.; Hirundo, 25.
armata. Galbula, 67.
asiatica. Alcedo, 63.
asiaticus. Caprimulgus, 8.
assimilis. Caprimulgus, 7.
Atelornis, 35.
ater. Cuculus, 49.
Athertoni. Bucia, 72.; Merops, 72.; Napophila, 72.; Nyctiornis, 72.
atra. Monasa, 49.
atricapilla. Alcedo, 54.; Dacelo, 54.
atricapillus. Halcyon, 54.
atricollis. Trogon, 42.
Atthis. Gracula, 62.
Atticora, 21.
aurantius. Trogon, 42.
auratus. Trogon, 41.
auriceps. Calurus, 46.
auritus. Batrachostomus, 3.; Podargus, 3.
australe. Choucalcyon, 51.
australis. Ægotheles, 4.; Alcyone, 65.; Chætura, 15.; Corvus, 49.; Eurystomus, 32.; Podargus, 2.
Azaræ. Hydropsalis, 10.
azurea. Alcedo, 65.; Alcyone, 65; Ceyx, 65.

B.

badius. Merops, 70.
bahamensis. Momotus, 39.; Prionites, 39.
balassiensis. Cypselus, 19.
Barbacous, 49.
Barbet. Banded, 47.; Black-eared, 48.; Black-fronted, 49.; Collared, 47.; Double-banded, 48.; Greater pied, 47.; Lesser pied, 47.; Red-breasted, 50.; Rufous, 50.; Spotted, 48.; Spotted-bellied, 48.; Swainson's, 47.; Wax-billed, 49.; White-backed, 50.; White-breasted, 49.; White-faced, 49.
Baryphonus, 39.
Batrachostomus, 3.
Batrachostomus. Starry, 3
Bee-eater. Azure-throated, 72.; Blue-headed, 71.;

Bullock's, 72.; Chestnut, 70.; Common, 68.; Egyptian, 69.; Indian, 69.; North African, 71.; Philippine, 69.; Pirik, 70.; Red-throated, 72.; Swallow-tailed, 71.; Variegated, 70.; White-fronted, 72.; White-throated, 70.
bengalensis. Alcedo, 63.; Coracias, 33.
Biblis, 29.
bicincta. Ispida, 60.; Tamatia, 48.
bicinctus. Bucco, 48.
bicolor. Alcedo, 61.; Ceryle, 61.; Chætura, 16.; Chelidon, 26.; Hirundo, 26.
bifasciatus. Caprimulgus, 8.
biru. Alcedo, 63.
bitorquata. Ispida, 60.; Tamatia, 48.
boliviensis. Caprimulgus, 10.
Bombycistomas, 3.
Brachypetes, 50.
Brachypteracias, 35.
Brachypteracias. Pitta-like, 35.; Madagascar, 35.
Brachypus, 18.
brama. Alcedo, 54.
brasiliensis. Caprimulgus, 9.; Jacamaralcyon, 67.; Momotus, 39.
brevicaudata. Cotyle, 30.; Hirundo, 30.
brunniceps. Halcyon, 56.
Bucco, 46.
buccoïdes. Dacelo, 52.
Bucconinæ, 46.
Bucla, 72.
Bullockii. Melittophagus, 72.; Merops, 72.
Bullockoïdes. Melittophagus, 72.; Merops, 72.

C.

cærulea. Alcedo, 65.; Hirundo, 27.; Nyctiornis, 72.
cæruleocephala. Alcedo, 64.; Corythornis, 64.
cæruleocephalus. Merops, 71.; Prionites, 39.
cæruliceps. Momotus, 39.; Prionites, 39.
caffer. Cypselus, 18.
calcaratus. Bucco, 49.; Capito, 49.
caligatus. Trogon, 43.
calornyx. Eurystomus, 32.
Calurus, 45.
Calurus. Golden-headed, 46.
campestris. Caprimulgus, 14.
cancrophaga. Alcedo, 53.
capensis. Bucco, 47.; Cecropis, 23.; Halcyon, 55.; Hirundo, 23.
capistrata. Alcedo, 65.
Capito, 47.
Caprimulgidæ, 1.
Caprimulginæ, 5.
Caprimulgus, 5.
caripensis. Steatornis, 1.
carolinensis. Anthrostomus, 9.; Caprimulgus, 9.
castaneus. Merops, 70.
caudacuta. Acanthylis, 15.; Hirundo, 15.; Pallène, 15.
caudata. Coracias, 34.
caudatus. Galgulus, 34.
cayanensis. Caprimulgus, 8.; Cypselus, 20.; Hirundo, 20. 28.; Micropus, 20.
cayanus. Caprimulgus, 8.
Cecropis, 22.
cervina. Dacelo, 51.
Ceryle, 60.
ceycoïdes. Galbula, 67.
Ceyx, 59.
chacura. Bucco, 48.; Capito, 48.
Chætura, 15.
chalybea. Cecropis, 28.; Hirundo, 28.; Progne, 28.
Chaunornis, 47.
Chelicuti. Alcedo, 54.; Halcyon, 54.
Chelidon 30.
Chelidons, 1.
Chelidoptera, 50.
chlorocephala, var. β. Dacelo, 57.
chlorocephala, var. γ Dacelo, 57.
Chloropygia, 35.
Chordeiles, 13.
Choucalcyon, 51.
chrysocephalus. Merops, 68.
chrysolaimus. Merops, 71.
cincta. Cotyle, 30.; Hirundo, 30.
cinerascens. Caprimulgus, 7.
cinerea. Alcedo, 61.
cinereifrons. Alcedo, 53.; Halcyon, 53.
cinereus. Bucco, 49.; Podargus, 2.
cinnamomeus. Trogon, 44.; Halcyon, 57.
climacocercus. Caprimulgus, 10.
climacterus. Scotornis, 12.
climacurus. Caprimulgus, 12.; Scotornis, 12.
Colaris, 31.
collaris. Acanthylis, 15.; Alcedo, 56. 58.; Apus, 16.; Bucco, 47.; Capito, 47.; Chætura, 15.; Halcyon, 56.; Hemiprocne, 15.; Hirundo, 15.; Pallène, 16.; Tamatia, 47.; Trogon, 41.
Collocolia, 20.
comatus. Apus, 17.; Cypselus, 17.; Dendrochelidon, 17.; Macropteryx, 17.; Pallestre, 17.
concolor. Biblis, 30.; Cotyle, 30.; Hirundo, 28. 30.
concreta. Dacelo, 52.; Halcyon, 52.
Coraciadæ, 31.
Coraciaræ, 31.
Coracias, 33.
cornutus. Podargus, 3.
coromanda. Alcedo, 55.; Dacelo, 55.
coromandeliana. Alcedo, 55.; Halcyon, 55.
coromandelicus. Halcyon, 55.
coromandus. Halcyon, 55.
coronata. Alcyone, 65.; Hirundo, 17.; Macropteryx, 17.
Corydon, 36, 37.
corydon. Eurylaimus, 37.
Corythornis, 64.
Cosmetornis, 13.
Cotyle, 29.
crinita. Coracias, 34.
cristata. Alcedo, 64.; Corythornis, 64.
cristatus. Ægotheles, 4.; Caprimulgus, 4.
Crossodera, 36.
Crypticus, 39.
cucullata. Hirundo, 23.
cucullatus. Eurylaimus, 36.
curucui. Trogon, 41.
Cuvieri. Merops, 70.; Podargus, 2.
cyanea. Alcedo, 57. 61.; Ceyx, 65.
cyaneocephala. Alcedo, 64.
cyanicollis. Eurystomus, 32.
cyanocephalus. Baryphonus, 39.
cyanogaster. Coracias, 34.; Galgulus, 35.; Garrulus, 34.; Merops, 72.
cyanogularis. Merops, 72.
cyanoleuca. Chelidon, 27.; Hirundo, 27.
cyanostigma. Alcedo, 64.; Corythornis, 64.
cyanotis. Dacelo, 52.; Halcyon, 65.
Cymbirhynchus, 38.
Cyphos, 47.
Cypselinæ, 15.
Cypselus, 18.

D.

Dacelo, 51.
Dacelo. Blue-eared, 52.; Leach's, 51.
Dalhousiæ. Crossodera, 37.; Eurylaimus, 37.; Psarisomus, 37.
Daudini. Merops, 69.
daurica. Cecropis, 23.; Hirundo, 23.
dea. Alcedo, 58.; Tanysiptera, 58.
Dendrochelidon, 17.
Derbyanus. Nyctidromus, 11.
Diardii. Harpactes, 44.; Trogon, 44.
diemensis. Alcyone, 66.
diurnus. Caprimulgus, 14.; Podager, 14.; Proïthera, 14.
divinus. Todiramphus, 58.
domestica. Hirundo, 22. 28.; Progne, 28.
dominicensis. Hirundo, 28. Progne, 28.
Duvaucelii. Harpactes, 44.; Trogon, 44.

E.

elegans. Trogon, 43.
Eleothreptus, 10.
Entomophila, 52.
Entomothera, 52.
erythrocephala. Hirundo, 25.
erythrocephalus. Harpactes, 45.; Trogon, 45.
erythrogaster. Alcedo, 53.; Hirundo, 24.
erythropterus. Melittophagus, 71.; Merops, 71.
erythropygia. Hirundo, 23.
erythrorhynchus. Halcyon, 53.
esculenta. Hirundo, 20.
esculenta var. Hirundo, 20.
euchrysea. Hirundo, 26.
europæus. Caprimulgus, 5.; Nyctichelidon, 6.
Eurostopodus, 11.
Eurylaiminæ, 36.
Eurylaimus, 36.
Eurylaimus. Collared, 36.; Lady Dalhousie's, 37.; Frilled, 37.; Red-backed, 38.; Sumatran, 37.
Eurystomus, 31.
euryzona. Alcedo, 63.

F.

fasciata. Atticora, 21.; Cecropis, 21.; Hirundo, 21.
fasciatus. Trogon, 44.; var. Trogon, 45.
fenestrarum. Chelidon, 31.
ferrugeiceps. Merops, 69.
filicaudata. Hirundo, 25.
filifera. Cecropis, 25.; Hirundo, 25.
fissicaudus. Caprimulgus, 10.
Fissirostres, 1.
Fissirostres Diurnæ, 15.; Nocturnæ, 1.
flagrans. Trogon, 45.
flavigastra. Cotyle, 30.; Hirundo, 30.
flavirostra. Galbula, 67.
flavirostris. Galbula, 67.
fluviatilis. Cotyle, 29.
francica. Collocalia, 21.; Hirundo, 21.
frontalis. Cecropis, 23.; Herse, 23.; Hirundo, 22.
fucata. Cotyle, 30.; Herse, 30.; Hirundo, 30.
fuciphaga. Collocalia, 21.; Hirundo, 21.
fulgidus. Calurus, 46.; Trogon, 46.
fuligula. Cotyle, 29.; Hirundo, 29.
Fullertonii. Podargus, 3. Bombycistomas, 3.
fulva. Cecropis, 24.; Hirundo, 24.
furcatus. Merops, 71.
furcifer. Caprimulgus, 9.; Hydropsalis, 10.
fusca. Alcedo, 51. 54.; Halcyon, 55.; Hirundo, 15. 28.; Monasa, 49.; Progne, 28.; Tamatia, 49.
fuscicapilla. Dacelo, 54.; Halcyon, 54.
fuscicapillus. Eurystomus, 32.
fuscus. Bucco, 49.; Monastes, 49.

G.

Galbula, 66.
galbula. Alcedo, 66.
Galbulinæ, 66.
Galgulus, 33.
garrula. Coracias, 33.
garrulus. Galgulus, 33.
Gaudichaudii. Alcedo, 52. Choucalcyon, 52.; Dacelo, 52.
germanicus. Coracias, 33.
gigantea. Alcedo, 51.; Dacelo, 51.; Ispida, 61.
gigas. Alcedo, 61.; Dacelo, 51.
glocitans. Trogon, 41.
Goatsucker. Allied, 7.; Barelegged, 8.; Bifasciated, 8.; Bolivian, 10.; Bombay, 8.; Carolina, 9.; Cayenne, 5.; Curved-quilled, 10.; Double-tailed, 10.; European, 5.; Gould's, 14.; Grand, 4.; Great-eared, 3. 12.; Great-tailed, 5.; Guiana, 10.; Horsfield's, 3.; Indian, 7.; Isabella-coloured, 6.; Jamaica, 5.; Leona, 13.; Long-tailed, 12.; Manilla, 7.; Nacunda, 14.; Natterer's, 14.; Nepal, 8.; New-Holland, 3.; Ocellated, 9.; Pectoral-banded, 7.; Port Natal, 6.; Reticulated, 9.; Rock, 13.; Rufous-cheeked, 6.; Rufous-necked, 6.; Scissor-tailed, 9.; South African, 6.; Spotted-tailed, 7.; Spotted-winged, 11.; Temminck's, 12.; Trinidad, 1.; Virginian, 13.; White-collared, 9.; White-necked, 8.; White-throated, 11.
Gouldii. Harpactes, 45.; Podager, 14.
gracilis. Caprimulgus, 2.; Podargus, 2.
grandis. Alcedo, 68.; Caprimulgus, 4.; Galbula, 68.; Jacamerops, 68.; Nyctibius, 4.
Granivores, 1.
guacu. Alcedo, 62.
gularis. Colaris, 33.; Eurystomus, 33.; Hirundo, 18.; Melittophagus, 72; Merops, 72.
gurial. Halcyon, 56.
guttata. Alcedo, 60.; Ceryle, 60.
guttatus. Caprimulgus, 11.; Eurostopodus, 11.
gutturalis. Cypselus, 18.; Hirundo, 22.
gymnopus. Caprimulgus, 8.

H.

Halcyon, 52.
Halcyon. Flat-billed, 58.; Lindsay's, 52.; Red-backed, 57.; Saurophagous, 56.; White-browed, 56.; White-collared, 56.
Halcyone, 65.
Halcyoninæ, 51.
Harpactes, 44
Hemiprocne, 15.
Herse, 22.
Hirund-apus, 15.
hirundinaceus. Melittophagus, 71.; Merops, 71.
Hirundinidæ, 15.
Hirundininæ, 21.

Hirundo, 5. 22.
hispidioïdes. Alcedo, 63.
Hodgsoni. Harpactes, 45.; Trogon, 45.
Horsfieldii. Eurylaimus, 36.
hortensis. Hirundo, 31.
humeralis. Podargus, 2.
hungariæ. Merops, 68.
Hydropsalis, 5. 9.
Hylomanes, 39. 40.

I.

imberbis. Caprimulgus, 12.
incinctus. Halcyon, 58.
indica. Coracias, 33.; Hirundo, 25.
indicus. Caprimulgus, 7.; Merops, 69.
innotatus. Caprimulgus, 8.
inornata. Hirundo, 29.
Insectivores, 1.
Insessores, 1.
Ipsidina, 65.
isabellinus. Caprimulgus, 6.
Ispida, 60. 62. 68.
ispida. Alcedo, 62.

J.

Jacamar. Great, 68.; Green, 66.; Long-tailed, 66.; Mournful, 67.; Paradise, 67.; Rufous-tailed, 66.; Short-billed, 66.; Three-toed, 67.; White-bellied, 67.; White-billed, 67.
Jacamaralcyon, 67.
jacamarici. Galbula, 68.
Jacamerops, 68.
jamaicensis. Caprimulgus, 5.; Nyctibius, 5.
javanensis. Batrachostomus, 3.; Podargus, 3.
javanica. Alcedo, 56.; Hirundo, 22.
javanicus. Eurylaimus, 36.; Merops, 69.
jewan. Hirundo, 22.
jugularis. Cotyle, 31.; Herse, 30.; Hirundo, 30.

K.

kasumba. Trogon, 45.
Kingfisher. Amazonian, 61.; Ashy-fronted, 53.; Australian, 56.; Azure, 65.; Beautiful, 52.; Belted, 62.; Biru, 63.; Black and white, 60.; Black-headed, 54.; Black-tailed, 59.; Black-winged, 54.; Blue-headed, 64.; Brown-hooded, 54.; Chelicuti, 54.; Common, 62.; Coromandel, 55.; Crested, 64.; Gaudichaud's, 52.; Great African, 61.; Half-collared, 63.; Hooded, 53.; Indian, 63.; Madagascar, 65.; Malayan, 52.; Menninting, 63.; Red-bellied, 53.; Rose-cheeked, 65.; Rufous and green, 61.; Sacred, 58.; Senegal, 53.; Smyrna, 55.; Spotted, 60.; Starry, 61.; Streaked, 54; Supercilious, 62.; Ternate, 58.; Tridactylous, 59.; White-bellied, 64.; White and green, 60.; White-headed, 55.
Klecho. Apus, 17.; Cypselus, 17.; Dendrochelidon, 17.; Hirundo, 17.; Macropteryx, 17.; Pallestre, 17.

L.

lagopoda. Hirundo, 31.
Lamarckii. Merops, 69.
Lamprotila, 68.
Leachii. Dacelo, 51.
lemniscatus. Eurylaimus, 38.
lentiginosus. Caprimulgus, 6.
leopetes. Caprimulgus, 8.
lepida. Alcedo, 39.; Ceyx, 59.
leptosomus. Brachypteracias, 35.; Chloropygia, 35.; Colaris, 35.
leptura. Galbula, 66.
lepturus. Trogon, 42.
Lessoni. Dacelo, 53.
leucocephala. Alcedo, 55.; Halcyon, 55, 56.
leucogaster. Ægotheles, 4.; Halcyon, 64.; Hirundo, 26.
leucogastra. Alcedo, 64.; Chelidon, 26.; Galbula, 67.
leuconota. Pallène, 15.
leuconotus. Cypselus, 15.
leucops. Bucco, 49.; Capito, 49.; Lypornix, 49.; Monasa, 49.
leucoptera. Chelidon, 26.; Hirundo, 26.
leucopygia. Pallène, 16.
leucosoma. Chelidon, 24.; Hirundo, 24.
leucosternon. Atticora, 21.
leucosternus. Hirundo, 21.
leucurus. Caprimulgus, 8.
Levaillantii. Coracias, 34.; Momotus, 39.
Lindsayii. Dacelo, 52.; Halcyon, 52.
longicaudatus, Caprimulgus, 5.; Nyctibius, 5.
longicaudus. Caprimulgus, 12.
longipennis. Caprimulgus, 13.; Cypselus, 17.; Macrodipteryx, 13.; Macropteryx, 17.
ludoviciana. Hirundo, 27.
lugubris. Alcedo, 60.; Galbula, 67.; Jacamaralcyon, 67.
lunatus. Eurylaimus, 37.; lunulatus. Ægotheles, 4.; Serilophus, 37.
luzoniensis. Ceyx, 59.
Lyncornis, 11, 12.
Lypornix, 48.

M.

Mac Leayii. Halcyon, 58.
macrodipterus. Caprimulgus, 13.
Macrodipteryx, 13.
macroptera. Chætura, 15. Pallène, 15.
Macropterus, 17.
macropterus. Psalurus, 10, Macropteryx, 17.
Macropteryx. Bearded, 17.; Crested, 17.; Hooded, 17.
macrorhynchos. Bucco, 47.; Capito, 47.; Cyphos, 47.; Tamatia, 47.; Todus, 38.
macrorhynchus. Cymbirhynchus, 38.; Tamatia, 47.
macrotis. Caprimulgus, 12.; Eurostopodus, 12.; Lyncornis, 12.
macroura. Galbula, 66.; Trogon, 41.
macrourus. Caprimulgus, 7, 8.
maculata. Alcedo, 48.; Tamatia, 48.
maculatus. Bucco, 48.; Capito, 48.; Caprimulgus, 5
mahrattensis. Caprimulgus, 7.
malabaricus. Harpactes 44.; Trogon, 44.
Malacoptila, 49.
manillensis. Caprimulgus, 7.
manurus. Caprimulgus, 10.
Martii. Momotus, 40.
Martin. Fairy, 25.
Massena. Trogon, 40.

maxima. Alcedo, 61.; Ceryle, 61.
maximus. Caprimulgus, 4.
melampyga. Hirundo, 27.
melanocephalus. Trogon, 42.
melanocrissus. Cecropis, 24.; Hirundo, 24.
melanoleuca. Cecropis, 26.; Chelidon, 26.; Hirundo, 26.
melanoleucos. Bucco, 47.; Capito, 47.; Tamatia, 47.
melanoptera. Alcedo, 54.; Halcyon, 54.
melanopterus. Trogon, 42.
melanotis. Capito, 48.; Tamatia, 48.
melanura. Ceyx, 59.
melanurus. Merops, 70; Trogon, 41.
melba. Apus, 18.; Cypselus, 18.; Hirundo, 18.; Micropus, 18.
Melidora, 51.
Melittophagus, 71.
meninting. Alcedo, 63.; Ceyx, 63.
meridionalis. Trogon, 42.
Meropidæ, 68.
Meropinæ, 68.
meropina. Napophila, 72.
Merops, 68.
mexicanus. Momotus, 40.; Todus, 36.; Trogon, 41.
Micropus, 18.
microrhynchos. Cotyle, 29.
minulus. Merops, 71.
minuta. Hirundo, 27. 30.
minutus. Merops, 71.
modesta. Progne, 28.
momota. Prionites, 39.; Ramphastos, 39.
Momotinæ, 38.
momotula. Hylomanes, 40.; Momotus, 40.
Momotus, 38, 39.
momotus. Azure-browed, 40.
monacha. Dacelo, 53.; Halcyon, 53.
Monasa, 48
Monastes, 49.
montana. Hirundo, 29.
monticola. Caprimulgus, 8.
Motmot. Bahama, 39.; Blue-headed, 39.; Brasilian, 39.; Levaillant's, 39.; Mexican, 40.; White-browed, 40.
multicolor. Todus, 36.
murarius. Cypselus, 18.; Micropus, 18.
mystaceus. Apus, 17.; Cypselus, 17.; Dendrochelidon, 17.; Macropteryx, 17.; Pallestre, 17.
mysticalis. Caprimulgus, 11.

N.

nacunda. Caprimulgus, 14.; Podager, 14.
nævia. Coracias, 33.
nævius. Galgulus, 33.; Garrulus, 33.
nais. Alcedo, 64.; Corythornis, 64.
Napophila, 72.
narina. Apaloderma, 43.; Trogon, 43.
nasica. Erolla, 38.
nasutus. Cymbirhynchus, 38.; Eurylaimus, 38.; Platyrhynchus, 38.; Todus, 38.
natalensis. Caprimulgus, 6.
Nattererii. Caprimulgus, 14.; Podager, 14.
neoxena. Hirundo, 22.
neoxenus. Calurus, 46.; Trogon, 46.
nidifica. Collocalia, 20.
Nightjar. White-bellied, 4.
Night-Runner. Allied, 11.; Derby's, 11.
nigricans. Cecropis, 24.; Herse, 24.; Hirundo, 24, 25.
nigrifrons. Bucco, 49.; Monasa, 49.
nigrita. Hirundo, 27.
nipalensis. Bucla, 72.; Caprimulgus, 8.; Cypselus, 19.; Hirundo, 23.; Raya, 37.
nitida. Alcedo, 65.; Ipsidiva, 65.
novæ hollandiæ. Ægotheles, 3.; Caprimulgus, 4.; Podargus, 4.
nubicoïdes. Merops, 71.
nubicus. Merops, 71.
nuchalis. Coracias, 34.
nudipes. Acanthylis, 15.; Chætura, 15.
Nyctactes, 47.
Nyctibius, 4.
Nycticheliden, 5.
Nyctidromus, 11.
Nyctiornis, 72.
nympha. Tanysiptera, 59.

O.

ocellatus. Caprimulgus, 9.
ochromalus. Eurylaimus, 36.
omnicolor. Alcedo, 55.; Dacelo, 55.
Omnivores, 1.
oreskios. Harpactes, 45.; Trogon, 45.
orientalis. Colaris, 31.; Coracias, 31.; Eurystomus, 31, 32.
ornatus. Merops, 70.; Philemon, 70.

P.

pacifica. Coracias, 32.; Hirundo, 23.
pacificus. Eurystomus, 32.; Galgulus, 32.
pagorum. Cecropis, 22.
Pallène, 15.
Pallestre, 17.
palmarum. Atticora, 19.; Cypselus, 19.
paludibula. Cotyle, 30.
panayana. Hirundo, 22.
papuensis. Coracias, 33.
paradisea. Alcedo, 67.; Galbula, 67.
paradiseus. Trogon, 45.
Paralcyon, 51.
parvus. Cypselus, 19.
Passeres, 1.
pavoninus. Trogon, 45.
pectoralis. Bucco, 47.; Caprimulgus, 7.; Nyctibius, 5.
pelasgia. Acanthylis, 16.; Apus, 16.; Chætura, 16.; Hirundo, 16.; Pallène, 16.
persica. Merops, 69.
personata. Monasa, 49.
peruvianus. Trogon, 46.
phœnicobia. Tachornis, 20.
phœnicobius. Cypselus, 20.
phaioleucos. Monasa, 50.
phalænoïdes. Podargus, 2.
philippinus. Merops, 69.
Pica, 1.
picta. Alcedo, 65.; Ipsidina, 65.
pictus. Todus, 65.
pileata. Alcedo, 54.; Halcyon, 54.
pilosa. Coracias, 34.; Galgulus, 34.
pilosus. Galgulus, 34.
pittoïdes. Atelornis, 35.; Brachypteracias, 35.
planiceps. Coracias, 33.
platensis. Hirundo, 24.
platyrhyncha. Lamprotila, 68.
Platyrhynchus. 36.
platyrostris. Halcyon, 58.
Podager, 14.
Podagerinæ, 12.
Podarginæ, 1.
Podargus, 2.
Podargus. Cuvier's, 2.; Moth-plumaged, 2.; Tawny-shouldered, 2.
pœciloma. Hirundo, 24.
polioura. Acanthylis, 16.
poliourus. Cypselus, 16.
popetue. Caprimulgus, 13.
portoriensis. Todus, 36.
Prionites, 38.
Priotelus, 43.
pristoptera. Atticora, 21.; Chelidon, 21.; Hirundo, 21.

Progne, 27.
Proithera, 14.
Psalurus, 5.
psalurus. Caprimulgus, 9.
Psarisomus, 36, 37.
psittacinus. Eurylaimus, 37.
pulchella. Dacelo, 52.; Halcyon, 52.
pulchellus. Calurus, 46.; Trogon, 46.
pulcher. Caprimulgus, 12.
pulchra. Alcyone, 66.
punctatus. Caprimulgus, 5.
purpurea. Alcedo, 59.; Hirundo, 27.; Progne, 27.
purpurascens. Eurystomus, 32.
pusilla. Alcedo, 65.
pygargus. Apus, 19; Atticora, 19.; Cypselus, 19.
pygmea. Dacelo, 54.
pyrrhonota. Cecropis, 25.; Herse, 25.; Hirundo, 24, 25.
pyrrhopygia. Halcyon, 57.

Q.

quinticolor. Merops, 70.

R.

Rafflesii. Eurylaimus, 36.
Raya, 36.
recurvirostris. Todiramphus, 58.
Reinwardtii. Apaloderma, 45.; Harpactes, 45.; Trogon, 45.
resplendens. Calurus, 45.; Trogon, 45.
reticulatus. Caprimulgus, 9.
riparia. Cotyle, 29.; Hirundo, 29.
Roller. African, 32.; Australian, 32.; Blue-bellied, 34.; Blue-throated, 33.; Garrulus, 33.; Hairy, 34.; Indian, 33.; Long-tailed, 34.; Oriental, 31.; Temminck's, 33.
rosalba. Trogon, 41.
rubecula. Bucco, 50.; Lypornix, 50.; Monasa, 50.
rubescens. Alcedo, 61.; Eurystomus, 32.
rubra. Alcedo, 59.; Ceyx, 59.
rubricollis. Galbula, 66.
rubropygia. Raya, 38.; Limornis, 38.
rubropygius. Eurylaimus, 38.; Serilophus, 38.
rudis. Alcedo, 60.; Ceryle, 60.
rufa. Cecropis, 24.; Hirundo, 24.; Lypornix, 50.; Monasa, 50.
ruficapillus. Baryphonus, 39.
ruficauda. Galbula, 66.
ruficeps. Chelidon, 25.; Hirundo, 25.
ruficollis. Caprimulgus, 6.; Merops, 69.
rufigena. Caprimulgus, 6.
rufitorquis. Caprimulgus, 6.
rufula. Hirundo, 23.
rufus. Bucco, 50.; Caprimulgus, 9.; Trogon, 42.
rupestris. Biblis. 29.; Caprimulgus, 13.; Chelidon, 29. 31.; Chordeiles, 13.; Cotyle, 29.; Hirundo, 29.
rupicola. Hirundo, 29.
rustica. Cecropis, 22.; Hirundo, 22. 24.
rutilus. Harpactes, 44.; Trogon, 44.

S.

Sabini. Acanthylis, 16.; Chætura, 16.
sacer. Todiramphus, 58.
sacra. Alcedo, 58.
sacra var. δ, ε. Alcedo, 57.
sacra. Halcyon, 56.
sancta. Halcyon, 56.
saturior. Caprimulgus, 7.
saurophaga. Halcyon, 56.
Savignii. Merops, 70. 69.
schæghagha. Merops, 68.
Scotocharis, 48.
Scotornis, 12.
Semeiophorus, 13.
semicærulea. Alcedo, 53.; Halcyon, 53.
semitorquata. Alcedo, 63.
semitorquatus. Caprimulgus, 9.
senegala. Coracias, 34.
senegalensis. Alcedo, 53.; Cecropis, 23.; Coracias, 34.; Dacelo, 53.; Halcyon, 53.; Hirundo, 23.
senex. Cypselus, 20.
sericeogula. Raya, 37.; Simornis, 37.
Serilophus, 36, 37.
Simornis, 36.
Simus, 36.
sinensis. Cotyle, 30.; Hirundo, 30.
smyrnensis. Alcedo, 55.; var. albogularis, Alcedo, 55.; Dacelo, 55.; Halcyon, 55.
somnolentus. Bucco, 48.; Capito, 48.
spilocircus. Caprimulgus, 7.
spinicauda. Acanthylis, 16.
spinicaudus. Cypselus, 16.
Steatornis, 1.
steatornis. Caprimulgus, 1.; Nyctibius, 1.
stellata. Alcedo, 61.
stellatus. Batrachostomus, 3.; Podargus, 3.
striata. Lypornix, 50.
striatus. Bucco, 50.
strigilatus. Bucco, 48.; Trogon, 42.
strigoïdes. Caprimulgus, 2.; Podargus, 2.
striolata. Alcedo, 54.; Cecropis, 23.; Halcyon, 54.; Hirundo, 23.
subis. Hirundo, 27.
subispida. Alcedo, 62.
subsoccata. Hirundo, 30.
sulphureus. Trogon, 42.
sumatranus. Coracias, 37.; Corydon, 37.; Eurylaimus, 37.; Merops, 70.
superbus. Merops, 71.
superciliaris. Crypticus, 40.; Momotus, 40.; Prionites, 40.
superciliosa. Alcedo, 62.; Ceryle, 62.; Halcyon, 56.
superciliosus. Crypticus, 40.
surucura. Trogon, 41.
Swainsoni. Bucco, 47.; Halcyon, 53.
Swallow. Aculeated, 16.; African Crag, 29.; Ambergris, 19.; Australian Chimney, 22.; Australian needle-tailed, 15.; Black-vented, 24.; Blue and white, 27.; Bolivian, 28.; Brown, 28.; Brown-collared, 30.; Brown Crag, 30.; Cape, 23.; Chalybeate, 28.; Chimney, 22.; Crag, 29.; Daurian, 23.; Dun-rumped, 24.; Esculent, 20.; Garden, 30.; Golden, 26.; Grey-backed, 21.; Klecho, 17.; Linchi, 21.; Martin, 31.; Panayan, 22.; Pied, 26.; Red-headed, 25.; Rufous-bellied, 24.; Rufous-necked, 24.; St. Domingo, 28.; Sand Martin, 29.; Senegal, 23.; Severn, 26.; Small Crag, 30.; Sooty Crag, 30.; Streaked, 23.; Uniform-coloured, 28.; Violet green, 26.; West African, 27.; White-backed, 21.; White-bellied, 21.; White-bodied, 24.; White-breasted, 21.; White-sided, 21.; White-winged, 26.; Wire-tailed, 25.
Swift. Allied, 19.; Andesian, 20.; Balassian, 19.; Common, 18.; Grey-headed,

21.; Madeira, 19.; Palm, 20.; South African, 19.; White-bellied, 18.; White-collared, 20.
Syma, 52.

T.

Tachornis, 18.
taiva. Melittophagus, 71.; Merops, 71.
tamajac. Tamatia, 48.
Tamatia, 46.
tamatia. Bucco, 48.; Capito, 48.; Chaunornis, 48.; Nyctactes, 48.
Tanysiptera, 58.
tectus. Bucco, 47.
Temminckii. Coracias, 33.; Corydon, 37.; Eurostopodus, 12.; Galgulus, 33.; Garrulus, 33.; Harpactes, 44.; Lyncornis, 12.; Trogon, 45.
Temnurus, 43.
temnurus. Priotelus, 43.; Trogon, 43.
tenebrosa. Brachypetes, 50.; Chelidoptera, 50,; Lypornix, 50.; Monasa, 50.
tenebrosus. Capito, 50.; Cuculus, 50.
thalassina. Cecropis, 26.; Chelidon, 26.; Hirundo, 26.
Todinæ, 35.
Todiramphus, 52. 58.
Todus, 35.
Tody. Great-billed, 38.; Green, 35.; Javan, 36.; Many-coloured, 36.; Mexican, 36.
torquata. Alcedo, 61.; Cecropis, 29.; Ceryle, 61.; Cotyle, 30.; Hirundo, 29, 30.; Lypornix, 50.
torquatus. Bucco, 49.; Cypselus, 16.; Halcyon, 53.; Merops, 69.
tranquilla. Lypornix, 49.; Monasa, 49.
tranquillus. Cuculus, 49.
tribrachys. Alcedo, 65.; Ceyx, 65.
tridactyla. Alcedo, 59.; Ceyx, 59.; Galbula, 67.; Jacamaralcyon, 67.
troglodytes. Collocalia, 21.
Trogon, 40.
Trogon. Beautiful, 46.; Black-headed, 42.; Black-tailed, 41.; Black and white tailed, 46.; Booted, 43.; Collared, 41.; Cuba, 43.; Diard's, 44.; Duvaucel's, 44.; Graceful, 43.; Hodgson's, 45.; Large-tailed, 41.; Little, 42.; Malabar, 44.; Mexican, 41.; Mountain, 45.; Narina, 43.; Orange-breasted, 42.; Prince Massena's, 40.; Reinwardt's, 45.; Resplendent, 45.; Rosy-breasted, 44.; Rufous, 42.; Surucura, 41.; Temminck's, 44.; Welcome, 46.; Yellow-bellied, 42.
Trogonidæ, 40.
Trogoninæ, 40.
tutu. Alcedo, 58.; Halcyon, 58.
typicus. Merops, 69.

U.

ultramarina. Alcedo, 65.
undulata. Alcedo, 51.
unicolor. Apus, 19.; Cypselus, 19.; Lypornix, 49.; Micropus, 19.
urbica. Chelidon, 31.; Hirundo, 31.
Urica. Merops, 70.

V.

vagans. Alcedo, 57.; Halcyon, 57.
varia. Ceryle, 60.
variegata. Alcedo, 54.
variegatus. Melittophagus, 71.; Merops, 71.
versicolor. Hirundo, 27.
vintsioïdes. Alcedo, 65.; Corythornis, 65.
violacea. Cecropis, 27.; Hirundo, 27.
violaceus. Trogon, 42.
virginianus. Caprimulgus, 13.; Chordeiles, 13.
viridicauda. Galbula, 66.
viridirufa. Alcedo, 61.; Ceryle, 61.
viridis. Alcedo, 60.; Chelidon, 26.; Galbula, 66.; Hirundo, 26.; Merops, 69.; Todus, 35. 36., Trogon, 42.
vittatus. Caprimulgus, 4.
vulgaris. Cypselus, 18.

Z.

zonaris. Hirundo, 16.

THE END.

London:
Spottiswoode and Shaw,
New-street-Square.

U.C. BERKELEY LIBRARIES

C005821423

613920

QL677
B73
pt. 2:1

BIOLOGY LIBRARY G

UNIVERSITY OF CALIFORNIA LIBRARY

BIOLOGY LIBRARY